

# **Folders Definitions**

Class Name	Parent Class	Class Description
Adult Personal Care Screen Filters		This class contains all the filters available to use for reporting.
Adult Personal Care Screen Measures		This class contains all the measures available to use for reporting.
Bowel Program	Medically Oriented Task Part III	This folder holds information regarding set of flags representing the needs for a Bowel Program set of Medically oriented Tasks present in Medically Oriented Tasks (Part III) Tasks to be performed by PCW in which Medicaid or Manual Review may be necessary, Section of the Personal Care Screen.
Common Data Warehouse Dimensions		This folder contains dimensional attributes related to data from both the Functional Screen and Encounter applications.
Common FS Dimensions		This folder contains dimensional attributes and facts related to all screen data from the Functional Screen application.
Date	Common Data Warehouse Dimensions	This folder holds several date attributes to make the use of date components and seasonal tracking easier for the data warehouse user.
Employment	Common FS Dimensions	This folder holds information regarding employment status fields from Adult, Child and Mental Health Screens.
FSIA PCA Load Information		This class contains objects that give the description of the data load and the dates the data was loaded. This is useful if you have a need to know when the data was last loaded before creating a query.
FSIA Person Contact	Common Data Warehouse Dimensions	This folder holds contact information of the applicant.
FSIA-Adult Personal Care Screen Attributes		This folder contains dimensional attributes and facts related to Adult Personal Care screen data from the Functional Screen application.
ICD Diagnosis	Common Data Warehouse Dimensions	Sourced from DDI tables.
ICD9-CM Diagnosis1 Code	Personal Care ICD9-CM Diagnosis Codes	This folder holds the ICD9-CM Diagnosis 1 code that mostly direct to the applicant's need for personal care. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.
ICD9-CM Diagnosis2 Code	Personal Care ICD9-CM Diagnosis Codes	This folder holds the ICD9-CM Diagnosis 2 code that mostly direct to the applicant's need for personal care. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.
ICD9-CM Diagnosis3 Code	Personal Care ICD9-CM Diagnosis Codes	This folder holds the ICD9-CM Diagnosis 3 code that mostly direct to the applicant's need for personal care. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.
Living Situation	Common FS Dimensions	This folder holds various living situations (current and preferred) across all of the screens.
Medical Insurance	Common FS Dimensions	This folder contains information gathered in all screen types about Medicaid, Medicare and private insurance information relative to the screen applicant.
Medically Oriented Task Part I	Personal Care Medically Oriented Tasks	This folder holds information regarding set of flags representing the needs for a given set of Medically Oriented Tasks present in Medically Oriented Tasks (Part I) Medication Assistance Section of the Personal Care Screen.
Medically Oriented Task Part II	Personal Care Medically Oriented Tasks	This folder holds information regarding set of flags representing the needs for a given set of Medically Oriented Tasks present in Medically Oriented Tasks (Part II) Tasks to be Performed by PCW, Section of the Personal Care Screen.
Medically Oriented Task Part III	Personal Care Medically Oriented Tasks	This folder holds information regarding set of flags representing the needs for a given set of Medically Oriented Tasks present in Medically Oriented Tasks (Part III) Tasks to be performed by PCW in which Medicaid or Manual Review may be necessary, Section of the Personal Care Screen.

Class Name	Parent Class	Class Description
Other Program	Medically Oriented Task Part III	This folder holds information regarding set of flags representing the needs for Wound Care, Therapy Program, Range of Motion and remaining other set of Medically Oriented Tasks present in Medically Oriented Tasks (Part III) Tasks to be performed by PCW in which Medicaid or Manual Review may be necessary, Section of the Personal Care Screen.
Person	Common Data Warehouse Dimensions	This folder holds all the information of the Applicant (person being screened) like Medicaid Recipient ID, Name, Address etc.,
Personal Care Activities of Daily Living (ADL)	FSIA-Adult Personal Care Screen Attributes	This folder holds information about the level of help needed by an applicant for all the Personal Care Activities of Daily Living (ADL) like Bathing, eating, dressing etc.
Personal Care ADL Bathing	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Bathing and the frequency in which they need assistance.
Personal Care ADL Dressing	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Dressing and the frequency in which they need assistance.
Personal Care ADL Dressing Lower Body	Personal Care ADL Dressing	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Dressing Lower Body and the frequency in which they need assistance.
Personal Care ADL Dressing Upper Body	Personal Care ADL Dressing	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Dressing Upper Body and the frequency in which they need assistance.
Personal Care ADL Eating	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Eating and the frequency in which they need assistance.
Personal Care ADL Grooming	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Grooming and the frequency in which they need assistance.
Personal Care ADL Mobility	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Mobility and the frequency in which they need assistance.
Personal Care ADL Prosthetics	Personal Care ADL Dressing	This folder holds information whether the individual needs the assistance of a PCW worker with the placement and/or removal of a prosthetic, brace, splint, or anti-embolism hose.
Personal Care ADL Toileting	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Toileting and the frequency in which they need assistance.
Personal Care ADL Transferring	Personal Care Activities of Daily Living (ADL)	This folder holds information for the Adult Personal Care Consumer's ability to perform basic daily activities -Transferring and the frequency in which they need assistance.
Personal Care Applicant Information	FSIA-Adult Personal Care Screen Attributes	This folder holds all the Information of the Applicant (person being screened) like Medicaid Recipient ID, Name, Address etc.,
Personal Care Contact Information 1	Personal Care Screen Contact Information	This folder holds all the information about the primary contact persons (Contact Information 1) found on the functional screen record.
Personal Care Contact Information 2	Personal Care Screen Contact Information	This folder holds Contact Information 2 found on the functional screen record.
Personal Care Contact Information 3	Personal Care Screen Contact Information	This folder holds Contact Information 3 found on the functional screen record.
Personal Care Contact Information 4	Personal Care Screen Contact Information	This folder holds Contact Information 4 found on the functional screen record.
Personal Care Current Living Situation	FSIA-Adult Personal Care Screen Attributes	This folder holds information about current living situation across all of the screens.
Personal Care Eligibility Agency	FSIA-Adult Personal Care Screen Attributes	This folder holds information about Eligibility Agency.
Personal Care Eligibility Calculated Date	FSIA-Adult Personal Care Screen Attributes	This folder holds Several date attributes of Eligibility Calculated Date to make the use of date components and seasonal tracking easier. Oracle functions and ISO standards are used to calculate dates when appropriate. Otherwise, business rules were defined for unconventional dates.
Personal Care Event Date	FSIA-Adult Personal Care Screen Attributes	This folder holds Several date attributes of Event Date to make the use of date components and seasonal tracking easier. Oracle functions and ISO standards are used to calculate dates when appropriate. Otherwise, business rules were defined for unconventional dates.

Class Name	Parent Class	Class Description
Personal Care First Eligibility Calculated Date	FSIA-Adult Personal Care Screen Attributes	This class contains date objects referring to a recipient's first Personal Care Eligibility Calculated Date. That is, the date in which the first Adult Personal Care screen for a given recipient was submitted for eligibility determination. Oracle functions and ISO standards are used to calculate dates when appropriate. Otherwise, business rules were defined for unconventional dates.
Personal Care ICD9-CM Diagnosis Codes	FSIA-Adult Personal Care Screen Attributes	This folder holds the list of three international classifications of diseases, ninth revision, Clinical Modification (ICD-9-CM) codes that mostly direct to the applicant's need for personal care. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.
Personal Care Medical Insurance	FSIA-Adult Personal Care Screen Attributes	This folder holds information gathered in all screen types about Medicaid, Medicare and private insurance information relative to the screen applicant. □
Personal Care Medically Oriented Tasks	FSIA-Adult Personal Care Screen Attributes	This folder holds information regarding set of flags representing the needs for a given set of Medically Oriented Tasks present in Medically Oriented Tasks (Part I, II & III) Medication Assistance Section of the Personal Care Screen.
Personal Care Nurse Information	FSIA-Adult Personal Care Screen Attributes	This folder holds information about the nurse.
Personal Care Referral Date	FSIA-Adult Personal Care Screen Attributes	This folder holds Several date attributes of Referral Date to make the use of date components and seasonal tracking easier. Referral Date is the month, day and year on which the applicant was referred for screening.
Personal Care Scheduled Activity	FSIA-Adult Personal Care Screen Attributes	This folder holds information regarding the scheduled activities outside the residence in the applicant's medical file.
Personal Care Screen Begin Date	Date	This folder holds Several date attributes of Screen Begin Date to make the use of date components and seasonal tracking easier.
Personal Care Screen Completion Date	FSIA-Adult Personal Care Screen Attributes	This folder holds Several date attributes of Screen Completion Date to make the use of date components and seasonal tracking easier. Oracle functions and ISO standards are used to calculate dates when appropriate. Otherwise, business rules were defined for unconventional dates.
Personal Care Screen Contact Information	FSIA-Adult Personal Care Screen Attributes	This folder holds all the Information about the primary contact persons (Contact Information 1-9) found on the functional screen record.
Personal Care Screen Information	FSIA-Adult Personal Care Screen Attributes	This folder holds all of the details of a Personal Care functional screen. Each record represents a version of a functional screen performed where eligibility for services are calculated. □ □ Screen records can be limited to only most recent screen, most recent screen version and other scenarios by using appropriate filters provided in this universe.
Personal Care Screen Time	FSIA-Adult Personal Care Screen Attributes	This folder holds information about the time to complete personal care adult screens. Not pertinent to the PCA screen.
Personal Care Screen Type Information	Personal Care Screen Information	This folder holds information about Screen class code, location code, source code, referral source code, status code, type code etc., for all adult personal care screens.
Personal Care Screener Information	FSIA-Adult Personal Care Screen Attributes	This folder holds limited Information regarding all existing screeners in the functional screen system.
Personal Care Screening Agency	FSIA-Adult Personal Care Screen Attributes	This folder holds information about agency which performed the screen throughout the Adult Personal Care Functional Screen Application.
Personal Care Worker Factor	FSIA-Adult Personal Care Screen Attributes	This folder holds the information about the recipient's factors towards the Personal Care Worker in completing Personal Care assistance.
Provider	Common Data Warehouse Dimensions	This folder holds the provider information.

Class Name	Parent Class	Class Description
Respiratory Assistance	Medically Oriented Task Part III	This folder holds information regarding set of flags representing the needs for a Respiratory Assistance oriented Tasks present in Medically Oriented Tasks (Part III) Tasks to be performed by PCW in which Medicaid or Manual Review may be necessary, Section of the Personal Care Screen.
Screen Information	Common FS Dimensions	This folder holds information about Screen class code, location code, source code, referral source code, status code, type code etc., for all screens.
Screener	Common FS Dimensions	This folder contains limited information regarding all existing screeners in the functional screen system.
Tube Feedings	Medically Oriented Task Part III	This folder holds information regarding set of flags representing the needs for Tube Feedings set of Medically Oriented Tasks present in Medically Oriented Tasks (Part III) Tasks to be performed by PCW in which Medicaid or Manual Review may be necessary, Section of the Personal Care Screen.

# **Object Definitions**

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Adult Personal Care Screen Measures	ADL MOT Annual Time Minutes	1	This measure is a calculated sum of allocated time for all tasks, in minutes, except for Pro Re Nata (PRN) for a 53 week period. This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT). □ The annual time measure is calculated by converting the sum of weekly time into units ( 1 unit = 15 minutes). The total annual time is then calculated by taking the ceiling of the weekly units, and then multiplying by 15 and 53.	$\text{nv}(\text{sum}(\text{LTC\_DW.FS\_PCA\_FACT\_SCREEN.ADL\_MOT\_ANNUAL\_TIME\_MEAS}); '0')$		LTC_DW.FS_PCA_FACT_SC REEN	3
Personal Care Screen Information	ADL MOT Annual Time Minutes	1	This measure is a calculated sum of allocated time for all tasks, in minutes, except for Pro Re Nata (PRN) for a 53 week period. This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT). □ The annual time measure is calculated by converting the sum of weekly time into units ( 1 unit = 15 minutes). The total annual time is then calculated by taking the ceiling of the weekly units, and then multiplying by 15 and 53.	LTC_DW.FS_PCA_FACT_SCREEN.ADL_MOT_ANNUAL_TI ME_MEAS		LTC_DW.FS_PCA_FACT_SC REEN	1
Adult Personal Care Screen Measures	ADL MOT Annual Time Units	1	This measure is a calculated sum of allocated time for all tasks, in units, except for Pro Re Nata (PRN) in a 53 week period. This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT). □ The annual time measure is calculated by converting the sum of weekly time into units ( 1 unit = 15 minutes). The total annual time is then calculated by taking the ceiling of the weekly units, and then multiplying by 15 and 53.	$\text{nv}(\text{sum}(\text{LTC\_DW.FS\_PCA\_FACT\_SCREEN.ADL\_MOT\_ANNUAL\_TIME\_MEAS}/15); '0')$		LTC_DW.FS_PCA_FACT_SC REEN	3
Personal Care Screen Information	ADL MOT Annual Time Units	1	This measure is a calculated sum of allocated time for all tasks, in units, except for Pro Re Nata (PRN) in a 53 week period. This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT). □ The annual time measure is calculated by converting the sum of weekly time into units ( 1 unit = 15 minutes). The total annual time is then calculated by taking the ceiling of the weekly units, and then multiplying by 15 and 53.	LTC_DW.FS_PCA_FACT_SCREEN.ADL_MOT_ANNUAL_TI ME_MEAS/15		LTC_DW.FS_PCA_FACT_SC REEN	1
Adult Personal Care Screen Measures	ADL MOT Weekly Time Minutes	1	This measure is a calculated sum of allocated weekly time, in minutes, for all tasks except for Pro Re Nata (PRN). This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT).	$\text{nv}(\text{sum}(\text{LTC\_DW.FS\_PCA\_FACT\_SCREEN.ADL\_MOT\_WEEKLY\_TIME\_MEAS}); '0')$		LTC_DW.FS_PCA_FACT_SC REEN	3
Personal Care Screen Information	ADL MOT Weekly Time Minutes	1	This measure is a calculated sum of allocated weekly time, in minutes, for all tasks except for Pro Re Nata (PRN). This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT).	LTC_DW.FS_PCA_FACT_SCREEN.ADL_MOT_WEEKLY_TI ME_MEAS		LTC_DW.FS_PCA_FACT_SC REEN	1
Adult Personal Care Screen Measures	ADL MOT Weekly Time Units	1	This measure is a calculated sum of allocated weekly time, in units, for all tasks except for Pro Re Nata (PRN). This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT).	$\text{nv}(\text{sum}(\text{LTC\_DW.FS\_PCA\_FACT\_SCREEN.ADL\_MOT\_WEEKLY\_TIME\_MEAS}/15); '0')$		LTC_DW.FS_PCA_FACT_SC REEN	3
Personal Care Screen Information	ADL MOT Weekly Time Units	1	This measure is a calculated sum of allocated weekly time, in units, for all tasks except for Pro Re Nata (PRN). This measure includes time for Activities of Daily Living and Medically Oriented Tasks (ADL/MOT).	LTC_DW.FS_PCA_FACT_SCREEN.ADL_MOT_WEEKLY_TI ME_MEAS/15		LTC_DW.FS_PCA_FACT_SC REEN	1
Personal Care Applicant Information	Age at Analysis Time	1	This field stores the age of the applicant being screened at the time of analysis.	$\text{TRUNC}((\text{sysdate} - \text{DIM\_PERSON\_PCA\_RECIPIENT.PERSON\_BIRTH\_DATE}) / 365.25), 0)$		DIM_PERSON_PCA_RECIPIE NT	1
Personal Care Applicant Information	Age at First Screening Date	1	This field stores the age of the applicant being screened on first screening date.	$\text{TRUNC}((\text{DIM\_DATE\_PCAFCT\_FIRST\_ELIG.FULL\_DATE} - \text{DIM\_PERSON\_PCA\_RECIPIENT.PERSON\_BIRTH\_DATE}) / 365.25))$		DIM_PERSON_PCA_RECIPIE NT, DIM_DATE_PCAFACT_FIRST_ELIG	1
Personal Care Applicant Information	Age at Mid Year	1	Age calculated at midpoint of a calendar year (June 30, YYYY) using the applicant's birth date. Enter the appropriate year when prompted.	$\text{trunc}((\text{to\_date}('06/01')    @\text{Variable}(\text{Age Calculation at Midyear: Please Enter Year (YYYY)})), 'mm/dd/yyyy') - \text{DIM\_PERSON\_PCA\_RECIPIENT.PERSON\_BIRTH\_DATE}) / 365.25, 0)$		DIM_PERSON_PCA_RECIPIE NT	1
Personal Care Nurse Information	Agency Nurse First Name	2	This field holds the First Name of the Nurse.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.AGENCY_NURSE_ FIRST_NAME		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Personal Care Nurse Information	Agency Nurse Last Name	2	This field holds the Lat Name of the Nurse.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.AGENCY_NURSE_ LAST_NAME		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Personal Care Nurse Information	Agency Nurse License Number	2	This field holds the License Number of the Nurse.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.AGENCY_NURSE_ LICENSE_NUM		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Personal Care Nurse Information	Agency Nurse Middle Initial	2	This field holds the Middle Initial of the Nurse.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.AGENCY_NURSE_ MIDDLE_INIT		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Adult Personal Care Screen Measures	All Adult PC Screens Count	1	Count of Adult Personal Care Screens (with versions included) that meet the other criteria of the query.	$\text{NVL}(\text{Sum}(\text{LTC\_DW.FS\_PCA\_FACT\_SCREEN.SCREEN\_REC ORD\_COUNT}), '0')$		LTC_DW.FS_PCA_FACT_SC REEN	3
Personal Care Applicant Information	Applicant ID	2	Functional Screen Applicant ID as collected from the functional screen source, where it is referred to as LTC_APPL_SK. This ID uniquely identifies an individual or their screen.	$\text{Nvl}(\text{DIM\_PERSON\_PCA\_RECIPIENT.FSIA\_APPLICANT\_ID}, \text{'Value Unknown / Not Reported'})$		DIM_PERSON_PCA_RECIPIE NT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care ADL Bathing	Bathing Help Code	2	Bathing Help Code - Specifies the level of assistance the applicant requires for bathing.	LTC_DW.FS_PCA_DIM_ADL_BATHING.BATHING_HELP_CD		LTC_DW.FS_PCA_DIM_ADL_BATHING	1
Personal Care ADL Bathing	Bathing Help Comment	2	Bathing Help Comment provides the details on the help that the applicant requires for bathing.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ADL_BATH_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care ADL Bathing	Bathing Help Description	2	Bathing Help Description - Specifies the level of assistance the applicant requires for bathing.	LTC_DW.FS_PCA_DIM_ADL_BATHING.BATHING_HELP_DS		LTC_DW.FS_PCA_DIM_ADL_BATHING	1
Personal Care ADL Bathing	Bathing Help Weekly Frequency Code	2	Bathing Help Days/Week Code - Specifies the number of days per week the agency will provide Personal Care Worker assistance with bathing.	LTC_DW.FS_PCA_DIM_ADL_BATHING.BATH_HELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_BATHING	1
Personal Care ADL Bathing	Bathing Help Weekly Frequency Description	2	Bathing Help Days/Week Frequency - Specifies the number of days per week the agency will provide Personal Care Worker assistance with bathing.	LTC_DW.FS_PCA_DIM_ADL_BATHING.BATHING_HELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_BATHING	1
Personal Care Worker Factor	Behavior Impede Flag	2	Behavior Impede Flag - Indicates a "Y" if the applicant is displaying behaviors that impede completion of the personal care and an "N" if the applicant is not.	LTC_DW.FS_PCA_DIM_PC_WORKER.BEHAVIOR_IMPEDE_FLAG		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Worker Factor	Behavior Impede List	2	Behavior Impede List describes the behaviors and describes how they interfere with the ability to complete personal care.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.PCW_BEHAVIOR_IMPEDE_LIST		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care Applicant Information	Birth Date	3	If the person exists in ONLY the functional screen applicant data, store the value from the BRTH_DT field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.BRTH_DT)  If the person exists in ONLY the encounter data, store the value from the RECIPIENT_DOB field in the encounter data.  If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the BRTH_DT field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.BRTH_DT).  Birth Date is the date of birth of the applicant who is being screened.	NVL(DIM_PERSON_PCA_RECIPIENT.PERSON_BIRTH_DATE, '1/1/1500')		DIM_PERSON_PCA_RECIPIENT	1
Bowel Program	Bowel Program Digital Stimulation Daily Frequency Code	2	Bowel Program Digital Stimulation Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Bowel Program Digital Stimulation related Medically Oriented Task.	PCA_DIM_MOT_BP_DIG_STEM_DFREQ.MOT_DAILY_FREQ_CD		PCA_DIM_MOT_BP_DIG_STEM_DFREQ	1
Bowel Program	Bowel Program Digital Stimulation Daily Frequency Description	2	Bowel Program Digital Stimulation Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the related Bowel Program Enema Medically Oriented Task.	PCA_DIM_MOT_BP_DIG_STEM_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_BP_DIG_STEM_DFREQ	1
Bowel Program	Bowel Program Digital Stimulation Flag	2	Bowel Program Digital Stimulation Flag is set to "Y" if the following Medical Task needs to be performed by a Personal Care Worker: Bowel Program: Digital Stimulation. Transform Rules: Set the BOWEL_PROG_DIGITAL_STIM_FLAG = "Y" if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '003' and DGNS_SUB_GRP_CD = 'BOWPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.BOWEL_PROG_DIGITAL_STIM_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Bowel Program	Bowel Program Digital Stimulation Weekly Frequency Code	2	Bowel Program Digital Stimulation Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Bowel Program Digital Stimulation related Medically Oriented Task.	PCA_DIM_MOT_DIG_STIM_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_DIG_STIM_WFREQ	1
Bowel Program	Bowel Program Digital Stimulation Weekly Frequency Description	2	Bowel Program Digital Stimulation Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Bowel Program Digital Stimulation related Medically Oriented Task.	PCA_DIM_MOT_DIG_STIM_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_DIG_STIM_WFREQ	1
Bowel Program	Bowel Program Enema Daily Frequency Code	2	Bowel Program Enema Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Bowel Program Enema related Medically Oriented Task.	FS_PCA_DIM_MOT_BP_ENEMA_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_BP_ENEMA_DFREQ	1
Bowel Program	Bowel Program Enema Daily Frequency Description	2	Bowel Program Enema Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the related Bowel Program Enema Medically Oriented Task.	FS_PCA_DIM_MOT_BP_ENEMA_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_BP_ENEMA_DFREQ	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Bowel Program	Bowel Program Enema Flag	2	Bowel Program Enema Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Bowel Program: Enema.  <input type="checkbox"/> Transform Rules: Set the BOWEL_PROG_ENEMA_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '002' and DGNS_SUB_GRP_CD = 'BOWPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.BOWEL_PROG_ENEMA_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Bowel Program	Bowel Program Enema Weekly Frequency Code	2	Bowel Program Enema Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Bowel Program Enema related Medically Oriented Task.	PCA_DIM_MOT_BP_ENEMA_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_BP_ENEMA_WFREQ	1
Bowel Program	Bowel Program Enema Weekly Frequency Description	2	Bowel Program Enema Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Bowel Program Enema related Medically Oriented Task.	PCA_DIM_MOT_BP_ENEMA_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_BP_ENEMA_WFREQ	1
Bowel Program	Bowel Program Suppository Daily Frequency Code	2	Bowel Program Suppository Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Bowel Program Suppository related Medically Oriented Task.	LTC_DW.FS_PCA_DIM_MOT_DAILY_FREQ.MOT_DAILY_FREQ_CD		LTC_DW.FS_PCA_DIM_MOT_DAILY_FREQ	1
Bowel Program	Bowel Program Suppository Daily Frequency Description	2	Bowel Program Suppository Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the related Bowel Program Suppository Medically Oriented Task.	LTC_DW.FS_PCA_DIM_MOT_DAILY_FREQ.MOT_DAILY_FREQ		LTC_DW.FS_PCA_DIM_MOT_DAILY_FREQ	1
Bowel Program	Bowel Program Suppository Flag	2	Bowel Program Suppository Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Bowel Program: Suppository. <input type="checkbox"/>  Transform Rules: Set the BOWEL_PROG_SUPPOSITORY_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '001' and DGNS_SUB_GRP_CD = 'BOWPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.BOWEL_PROG_SUPPOSITORY_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Bowel Program	Bowel Program Suppository Weekly Frequency Code	2	Bowel Program Suppository Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Bowel Program Suppository related Medically Oriented Task.	LTC_DW.FS_PCA_DIM_MOT_WEEKLY_FREQ.MOT_WEEKLY_FREQ_CD		LTC_DW.FS_PCA_DIM_MOT_WEEKLY_FREQ	1
Bowel Program	Bowel Program Suppository Weekly Frequency Description	2	Bowel Program Suppository Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Bowel Program Suppository related Medically Oriented Task.	LTC_DW.FS_PCA_DIM_MOT_WEEKLY_FREQ.MOT_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_MOT_WEEKLY_FREQ	1
Medically Oriented Task Part II	Catheter Site Care Daily Frequency Code	2	Catheter Site Care Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Catheter Site Care related Medically Oriented Task. <input type="checkbox"/>	FS_PCA_DIM_MOT_CATHER_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_CATHER_DFREQ	1
Medically Oriented Task Part II	Catheter Site Care Daily Frequency Description	2	Catheter Site Care Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Catheter Site Care related Medically Oriented Task.	FS_PCA_DIM_MOT_CATHER_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_CATHER_DFREQ	1
Medically Oriented Task Part II	Catheter Site Care Flag	2	Catheter Site Care Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: catheter site care.  <input type="checkbox"/> Transform Rules: Set the CATHETER_SITE_CARE_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC1' and DGNS_CD = '004' and DGNS_SUB_GRP_CD = 'MOTPC1'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK1.CATHETER_SITE_CARE_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK1	1
Medically Oriented Task Part II	Catheter Site Care Weekly Frequency Code	2	Catheter Site Care Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Catheter Site Care related Medically Oriented Task.	FS_PCA_DIM_MOT_CATHETER_WFREQ.MOT_WEEKLY_FREQ_CD		FS_PCA_DIM_MOT_CATHETER_WFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Medically Oriented Task Part II	Catheter Site Care Weekly Frequency Description	2	Catheter Site Care Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Catheter Site Care related Medically Oriented Task. □	FS_PCA_DIM_MOT_CATHETER_WFREQ.MOT_WEEKLY_FREQ		FS_PCA_DIM_MOT_CATHETER_WFREQ	1
Personal Care Screener Information	Certified Screener Flag	2	Certified Screener Flag is the Boolean flag which identifies whether a screener is certified or not.	FS_PCA_DIM_SCREENER.CERTIFIED_SCREENER_FLAG		FS_PCA_DIM_SCREENER	1
Personal Care Contact Information 1	City (Contact 1)	2	Store the value in the field CITY_NAME from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.CITY_NAME). Match spelling with 'City Name' in City Official Name table. If found, use the 'Transform To' version of the city name for uniformity.	NVL(DIM_PERSON_CONTACT_APC1.CITY_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	City (Contact 2)	2	Store the value in the field CITY_NAME from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.CITY_NAME). Match spelling with 'City Name' in City Official Name table. If found, use the 'Transform To' version of the city name for uniformity.	NVL(DIM_PERSON_CONTACT_APC2.CITY_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	City (Contact 3)	2	Store the value in the field CITY_NAME from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.CITY_NAME). Match spelling with 'City Name' in City Official Name table. If found, use the 'Transform To' version of the city name for uniformity.	NVL(DIM_PERSON_CONTACT_APC3.CITY_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	City (Contact 4)	2	Store the value in the field CITY_NAME from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.CITY_NAME). Match spelling with 'City Name' in City Official Name table. If found, use the 'Transform To' version of the city name for uniformity.	NVL(DIM_PERSON_CONTACT_APC4.CITY_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Applicant Information	City Name	2	Store the value in the field CITY_NAME from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.CITY_NAME). Match spelling with 'City Name' in City Official Name table. If found, use the 'Transform To' version of the city name for uniformity. □ City is the name of the town in which the applicant resides.	Nvl(DIM_PERSON_PCA_RECIPIENT.CITY_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Medically Oriented Task Part II	Complex Positioning Daily Frequency Code	2	Complex Positioning Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Complex Positioning related Medically Oriented Task.	FS_PCA_DIM_MOT_POSITION_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_POSITION_DFREQ	1
Medically Oriented Task Part II	Complex Positioning Daily Frequency Description	2	Complex Positioning Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Complex Positioning related Medically Oriented Task.	FS_PCA_DIM_MOT_POSITION_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_POSITION_DFREQ	1
Medically Oriented Task Part II	Complex Positioning Flag	2	Complex Positioning Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: complex positioning. □ Transform Rules: Set the COMPLEX_POSITIONING_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC1' and DGNS_CD = '006' and DGNS_SUB_GRP_CD = 'MOTPC1'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK1.COMPLEX_POSITIONING_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK1	1
Medically Oriented Task Part II	Complex Positioning Weekly Frequency Code	2	Complex Positioning Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Complex Positioning related Medically Oriented Task.	FS_PCA_DIM_MOT_POSITION_WFREQ.MOT_WEEKLY_FREQ_CD		FS_PCA_DIM_MOT_POSITION_WFREQ	1
Medically Oriented Task Part II	Complex Positioning Weekly Frequency Description	2	Complex Positioning Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the GI Tube Site Care related Medically Oriented Task.	FS_PCA_DIM_MOT_POSITION_WFREQ.MOT_WEEKLY_FREQ		FS_PCA_DIM_MOT_POSITION_WFREQ	1
Personal Care Current Living Situation	Current Living Situation Code	2	Living Situation Code is the code which represents/identifies the current living situation of the person.	FS_PCA_DIM_CURR_LIV_SIT.LIVING_SITUATION_CD		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Situation Description	2	Original description of the current living situation as found in the source data.	FS_PCA_DIM_CURR_LIV_SIT.LIVING_SITUATION_ORIGIN		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Situation Group	2	Grouping variable to categorize current living situation descriptions.	FS_PCA_DIM_CURR_LIV_SIT.LIVING_SITUATION_GROUP		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Situation Group Type	2	A longer description of the living situation group field indicating a grouping variable for specific living situations (i.e. Residential Assisted Living).	FS_PCA_DIM_CURR_LIV_SIT.LIVING_SITUATION_GROUP_TYPE		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Situation Long Description	2	Long and clean description of the current living situation.	FS_PCA_DIM_CURR_LIV_SIT.LIVING_SITUATION_LONG		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Situation Max Bed Count	1	Maximum bed count available in the current living situation.	FS_PCA_DIM_CURR_LIV_SIT.MAXIMUM_BED_COUNT		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Situation Min Bed Count	1	Minimum number of beds in the current living situation (if available).	FS_PCA_DIM_CURR_LIV_SIT.MINIMUM_BED_COUNT		FS_PCA_DIM_CURR_LIV_SIT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Current Living Situation	Current Living Situation Other Text	2	Other applicant current living situation comment text as listed by the screener in the living situation section of the Personal Care Functional Screen.	LTC_DW.FS_PCA_FACT_SCREEN.SUB.APPL_LIVING_OTHER_TEXT		LTC_DW.FS_PCA_FACT_SCREEN.SUB	1
Personal Care Current Living Situation	Current Living Situation Short Description	2	Shortened and cleaned description of the current living situation.	FS_PCA_DIM_CURR_LIV_SIT.LIVING_SITUATION_SHORT		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Current Living Situation	Current Living Source Screen Class	2	Source screen class of the dimension record in this table (i.e. did the record come from the Adult, Mental Health, Child, or Personal Care screen). For this universe the code will always equal PCA for the Adult Personal Care Functional Screen.	FS_PCA_DIM_CURR_LIV_SIT.SOURCE_SCREEN_CLASS		FS_PCA_DIM_CURR_LIV_SIT	1
Personal Care Eligibility Calculated Date	Day Abbreviation	2	Abbreviation of the day description. Ex. Monday = Mon.	DIM_DATE_PCAFCT_ELIG_CALC.DAY_ABBREV		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Day Abbreviation	2	Abbreviation of the day description. Ex. Monday = Mon.	DIM_DATE_PCAFCT_EVENT.DAY_ABBREV		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Day Abbreviation	2	Abbreviation of the day description. Ex. Monday = Mon.	DIM_DATE_PCAFCT_FIRST_ELIG.DAY_ABBREV		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Day Abbreviation	2	Abbreviation of the day description. E.g. Monday = Mon.	DIM_DATE_PCAFCT_SCRN_COMPLT.DAY_ABBREV		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Day Name	2	Description of the day number. Ex. Sunday =1.□	DIM_DATE_PCAFCT_ELIG_CALC.DAY_NAME		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Day Name	2	Description of the day number. Ex. Sunday =1.□	DIM_DATE_PCAFCT_EVENT.DAY_NAME		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Day Name	2	Description of the day number. Ex. Sunday =1.	DIM_DATE_PCAFCT_FIRST_ELIG.DAY_NAME		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Day Name	2	Description of the day number. Ex. Sunday =1.□	DIM_DATE_PCAFCT_SCRN_COMPLT.DAY_NAME		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Day Number In Month	1	Number representing the day of the month.	DIM_DATE_PCAFCT_ELIG_CALC.DAY_NUM_IN_MONTH		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Day Number In Month	1	Number representing the day of the month.	DIM_DATE_PCAFCT_EVENT.DAY_NUM_IN_MONTH		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Day Number In Month	1	Number representing the day of the month.	DIM_DATE_PCAFCT_FIRST_ELIG.DAY_NUM_IN_MONTH		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Day Number In Month	1	Number representing the day of the month.	DIM_DATE_PCAFCT_SCRN_COMPLT.DAY_NUM_IN_MONTH		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Day Number In Year	1	Number representing the day of the year. Values are 1-365 or 366.□	DIM_DATE_PCAFCT_ELIG_CALC.DAY_NUM_IN_YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Day Number In Year	1	Number representing the day of the year. Values are 1-365 or 366.□	DIM_DATE_PCAFCT_EVENT.DAY_NUM_IN_YEAR		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Day Number In Year	1	Number representing the day of the year. Values are 1-365 or 366.□	DIM_DATE_PCAFCT_FIRST_ELIG.DAY_NUM_IN_YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Day Number In Year	1	Number representing the day of the year. Values are 1-365 or 366.□	DIM_DATE_PCAFCT_SCRN_COMPLT.DAY_NUM_IN_YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Day Number Overall	1	Number of the day in the overall dimension.	DIM_DATE_PCAFCT_ELIG_CALC.DAY_NUM_OVERALL		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Day Number Overall	1	Number of the day in the overall dimension.	DIM_DATE_PCAFCT_EVENT.DAY_NUM_OVERALL		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Day Number Overall	1	Number of the day in the overall dimension.	DIM_DATE_PCAFCT_FIRST_ELIG.DAY_NUM_OVERALL		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Day Number Overall	1	Number of the week in the overall dimension. This number is cumulative. The difference in this week number between any two dates will yield the number of weeks difference, regardless of the year of the date.□	DIM_DATE_PCAFCT_SCRN_COMPLT.DAY_NUM_OVERALL		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Day Of Week	1	Number representing the day of the week. Values are 1-7 with 1 being Sunday.□	DIM_DATE_PCAFCT_ELIG_CALC.DAY_OF_WEEK		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Day Of Week	1	Number representing the day of the week. Values are 1-7 with 1 being Sunday.□	DIM_DATE_PCAFCT_EVENT.DAY_OF_WEEK		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Day Of Week	1	Number representing the day of the week. Values are 1-7 with 1 being Sunday.□	DIM_DATE_PCAFCT_FIRST_ELIG.DAY_OF_WEEK		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Day Of Week	1	Number representing the day of the week. Values are 1-7 with 1 being Sunday.□	DIM_DATE_PCAFCT_SCRN_COMPLT.DAY_OF_WEEK		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Applicant Information	Death Date	3	Store the value in the field RECIPIENT_DOD from the encounter data.	NVL(DIM_PERSON_PCA_RECIPIENT.PERSON_DEATH_DATE,'1/1/1500')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care ADL Dressing	Dressing Help Comment	2	Dressing Help Comment provides the details on the help that the applicant requires for dressing.	LTC_DW.FS_PCA_FACT_SCREEN.SUB.ADL_DRESS_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN.SUB	1
Personal Care ADL Dressing Lower Body	Dressing Lower Body Help Code	2	Dressing Lower Body Help Code - Specifies the level of assistance the applicant requires with dressing the lower body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LOW_BODY_HELP_CD		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care ADL Dressing Lower Body	Dressing Lower Body Help Daily Frequency Code	2	Dressing Lower Body Help/Day Code - Indicates when the PCW assistance is needed with dressing the lower body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LO W_BODY_HELP_DY_CD		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1
Personal Care ADL Dressing Lower Body	Dressing Lower Body Help Daily Frequency Description	2	Dressing Lower Body Help/Day Frequency - Indicates when the PCW assistance is needed with dressing the lower body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LO W_BODY_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1
Personal Care ADL Dressing Lower Body	Dressing Lower Body Help Description	2	Dressing Lower Body Help Description - Specifies the level of assistance the applicant requires with dressing the lower body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LO W_BODY_HELP_DSC		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1
Personal Care ADL Dressing Lower Body	Dressing Lower Body Help Weekly Frequency Code	2	Dressing Lower Body Help Days/Week Code - Specifies the days per week the agency will provide PCW assistance with dressing the lower body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LO W_BODY_HELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1
Personal Care ADL Dressing Lower Body	Dressing Lower Body Help Weekly Frequency Description	2	Dressing Lower Body Help Days/Week Frequency - Specifies the days per week the agency will provide PCW assistance with dressing the lower body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LO W_BODY_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1
Personal Care ADL Dressing Lower Body	Dressing Lower Body Splint Flag	2	Dressing Lower Body Splint Flag - Indicates a "Y" if applicant requires assistance with placement and removal of a lower body prosthetic, splint or brace and "N" if assistance is not required.	LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER.DRESS_LO W_BODY_SPLINT_FLAG		LTC_DW.FS_PCA_DIM_ADL_DRESS_LOWER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Help Code	2	Dressing Upper Body Help Code - Specifies the level of assistance the applicant requires with dressing the upper body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_HELP_CD		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Help Daily Frequency Code	2	Dressing Upper Body Help/Day Code - Indicates when the PCW assistance is needed with dressing the upper body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_HELP_DY_CD		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Help Daily Frequency Description	2	Dressing Upper Body Help/Day Frequency - Indicates when the PCW assistance is needed with dressing the upper body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Help Description	2	Dressing Upper Body Help Description - Specifies the level of assistance the applicant requires with dressing the upper body.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_HELP_DSC		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Help Weekly Frequency Code	2	Dressing Upper Body Help Days/Week Code - Specifies the days per week the agency will provide PCW assistance.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_HELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Help Weekly Frequency Description	2	Dressing Upper Body Help Days/Week Frequency - Specifies the days per week the agency will provide PCW assistance.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Dressing Upper Body	Dressing Upper Body Splint Flag	2	Dressing Upper Body Splint Flag - Indicates a "Y" if applicant requires assistance with placement and removal of an upper body prosthetic, splint or brace and "N" if assistance is not required.	LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER.DRESS_UPP ER_BODY_SPLINT_FLAG		LTC_DW.FS_PCA_DIM_ADL_DRESS_UPPER	1
Personal Care ADL Eating	Eating Breakfast Help Flag	2	Eating Help Breakfast Flag - Indicates a "Y" value if PCW assistance is required for eating breakfast or "N" if no assistance is required for eating breakfast.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_BREAKFAST_H ELP_FLAG		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Breakfast Help Weekly Frequency Code	2	Eating Help Breakfast Days/Week Code - Specifies the number of days per week that the applicant will be assisted with eating breakfast.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_BREAKFAST_H ELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Breakfast Help Weekly Frequency Description	2	Eating Help Breakfast Days/Week Frequency - Specifies the number of days per week that the applicant will be assisted with eating breakfast.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_BREAKFAST_H ELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Dinner Help Flag	2	Eating Help Dinner Flag - Indicates a "Y" value if PCW assistance is required for eating dinner or "N" if no assistance is required for eating dinner.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_DINNER_HELP_ FLAG		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Dinner Help Weekly Frequency Code	2	Eating Help Dinner Days/Week Code - Specifies the number of days per week that the applicant will be assisted with eating dinner.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_DINNER_HELP_ DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Dinner Help Weekly Frequency Description	2	Eating Help Dinner Days/Week Frequency - Specifies the number of days per week that the applicant will be assisted with eating dinner.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_DINNER_WEEK LY_FREQ		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Help Code	2	Eating Help Code - Specifies the level of assistance the applicant requires for eating.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_HELP_CD		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Help Comment	2	Eating Help Comment provides the details on the help that the applicant requires for eating.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ADL_EAT_COMME NT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care ADL Eating	Eating Help Description	2	Eating Help Description - Specifies the level of assistance the applicant requires for eating.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_HELP_DSC		LTC_DW.FS_PCA_DIM_ADL_EATING	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care ADL Eating	Eating Help Flag	2	This flag is populated with a 'Y' if the consumer requires any assistance to eat any regular meal. The flag is marked as an 'N' if the consumer can eat independently.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_HELP_FLAG		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Lunch Help Flag	2	Eating Help Lunch Flag - Indicates a "Y" value if PCW assistance is required for eating lunch or "N" if no assistance is required for eating lunch.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_LUNCH_HELP_FLAG		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Lunch Help Weekly Frequency Code	2	Eating Help Lunch Days/Week Code - Specifies the number of days per week that the applicant will be assisted with eating lunch.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_LUNCH_HELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care ADL Eating	Eating Lunch Help Weekly Frequency Description	2	Eating Help Lunch Days/Week Frequency - Specifies the number of days per week that the applicant will be assisted with eating lunch.	LTC_DW.FS_PCA_DIM_ADL_EATING.EAT_LUNCH_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care Applicant Information	EDS Universal ID	2	Store the value generated by the EDS universal client id process.	Nvl(DIM_PERSON_PCA_RECIPIENT.EDS_UNIVERSAL_ID, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Eligibility Agency	Eligibility Agency Common Name	2	Name of provider, common to the master provider dimension.  Transformation rules for selecting common provider name listed below:  If the provider record loads from an encounter submitting organization record, transform the value in the {CMO MA ID} field from the encounter submission table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_DW.ORGANIZATION table and store the value in the field {Provider Name}. (See end of document for table example.)  If the provider record loads from an encounter detail billing provider record, concatenate and store the value in the fields { Billing Provider First Name} { Billing Provider Middle Name } {Billing Provider Last Name or Organization} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.BILLING_PROVIDER_FIRST_NAME, LTC_ENC.AA_CMO_DETAIL.BILLING_PROVIDER_MIDDLE_NAME, LTC_ENC.AA_CMO_DETAIL.BILLING_PROV_LAST_NAME_OR_ORG). Separate each field with one space and trim the combined field of all leading and trailing spaces.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.PROVIDER_COMMON_NAME, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Contact Person	2	Agency Contact Person listed at agency level for functional screen.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_CONTACT_PERSON, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Delete Flag	2	Logical delete flag in agency table of functional screen application. Most similar to an active indicator. Specific only to functional screen agencies.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_DELETE_FLAG, 'U')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Display Name	2	This is the agency display name associated with the FSIA_AGENCY_ID in the functional screen application.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_DISPLAY_NAME, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Fax Number	2	Fax number for functional screen agency provided.	NVL((Case When length(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM) = 10 Then '('    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM,1,3)    ')'    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM,4,3)    '-'    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM,7,4)    When length(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM) = 7 Then '('    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM,1,3)    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM,4,4)    Else DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_FAX_NUM    End), 'NR')		DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency ID	2	This is the surrogate key generated by the FSIA application when a new agency is created. The LTC_AGCY_GRP table contains all screen agencies set up in the screening application.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_ID, 'NR')		DIM_PROVIDER_PCA_ELIG_AGENCY	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Agency	Eligibility Agency Name	2	This is the agency name associated with the FSIA_AGENCY_ID in the functional screen application.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_NAME, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Phone Number	2	Phone number for functional screen agency provided by screen application.	NVL((Case When length(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM) = 10 Then '('    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM,1,3)    ')'    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM,4,3)    '-'    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM,7,4)    When length(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM) = 7 Then '('    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM,1,3)    substr(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_Y_PHONE_NUM,4,4)    Else DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_PHONE_NUM End), 'NR')		DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Source Code	2	Two digit code created in ETL process to list the source of the provider record in this table. Possible sources are functional screen and LTC Encounter. Within Encounter there are submitting, billing, and rendering providers as well as special situations to identify DEA numbers.  Available codes are: FS = Functional Screen, SO = Submitting Organization, RP = Rendering Provider, BP = Billing Provider, MS=Multiple Sources (i.e. Functional Screen and Submitting Org).	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.PROVIDER_SOURCE_CODE, 'NR')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	Eligibility Agency Type	2	Description of an association describing the type of agency performing functional screens as provided by the functional screen source. Sample values: ('Resource Center', 'CMO', 'TMG Agency', 'Katie Beckett', 'CSP')	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Calculated Date	Eligibility Calculated Full Date	3	Eligibility Calculated Date is the month, day and year on which the eligibility for adult personal care was calculated. Date presented in this format: M/D/YYYY.	DIM_DATE_PCAFCT_ELIG_CALC.FULL_DATE		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Eligibility Calculated Date	Eligibility Calculated Month Name	2	Description of the calendar month number. Ex. January = 1.	DIM_DATE_PCAFCT_ELIG_CALC.MONTH_NAME		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Eligibility Calculated Date	Eligibility Calculated Quarter Number	1	Number representing the calendar quarter. Values are 1-4.	DIM_DATE_PCAFCT_ELIG_CALC.QUARTER_NUM		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Eligibility Calculated Date	Eligibility Calculated Year	2	Number representing the calendar year.	DIM_DATE_PCAFCT_ELIG_CALC.YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Applicant Information	Encounter Recipient ID	2	Encounter Recipient ID is the Recipient ID found in the encounter detail source file. This ID is typically a Medicaid Recipient ID, but can be a local encounter submitter specific Recipient ID.	Nvl(DIM_PERSON_PCA_RECIPIENT.ENCOUNTER_RECIPIENT_ID, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Encounter Recipient Type	2	Encounter Recipient Type identifies whether the Encounter Recipient ID matches a Medicaid Recipient ID, a Master Client Index ID or does not match either. Valid values for this field are: '02' - match against Medicaid Recipient ID. '01' - match against Master Client ID 'NA' - No match against possible IDs found in Title XIX data warehouse.	Nvl(DIM_PERSON_PCA_RECIPIENT.ENCOUNTER_RECIPIENT_TYPE, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
FSIA PCA Load Information	End Time	2	The time stamp for the date and time the execution of the load job ended.	LTC_DW.LOAD_STATS.END_TIME		LTC_DW.LOAD_STATS	1
Personal Care Event Date	Event Full Date	3	Date presented in this format: M/D/YYYY.	DIM_DATE_PCAFCT_EVENT.FULL_DATE		DIM_DATE_PCAFCT_EVENT	1
Personal Care Event Date	Event Month Name	2	Description of the calendar month number. Ex. January = 1.	DIM_DATE_PCAFCT_EVENT.MONTH_NAME		DIM_DATE_PCAFCT_EVENT	1
Personal Care Event Date	Event Quarter Number	1	Number representing the calendar quarter. Values are 1-4.	DIM_DATE_PCAFCT_EVENT.QUARTER_NUM		DIM_DATE_PCAFCT_EVENT	1
Personal Care Event Date	Event Year	2	Number representing the calendar year.	DIM_DATE_PCAFCT_EVENT.YEAR		DIM_DATE_PCAFCT_EVENT	1
FSIA PCA Load Information	Execution Status	1	The results of the load process. Valid values are 0=success, 1=failure.	LTC_DW.LOAD_STATS.EXECUTION_STATUS		LTC_DW.LOAD_STATS	1
Personal Care Eligibility Calculated Date	Fall Allergy Season Flag	2	Describes if a date falls within the Fall Allergy Season (August 1 - October 31). 0 = No, 1 = Yes	DIM_DATE_PCAFCT_ELIG_CALC.FALL_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Event Date	Fall Allergy Season Flag	2	Describes if a date falls within the Fall Allergy Season (August 1 - October 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_EVENT.FALL_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Fall Allergy Season Flag	2	Describes if a date falls within the Fall Allergy Season (August 1 - October 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_FIRST_ELIG.FALL_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Fall Allergy Season Flag	2	Describes if a date falls within the Fall Allergy Season (August 1 - October 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_SCRN_COMPLT.FALL_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Applicant Information	Federal American Indian or Alaskan Native Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person of Native American / American Indian ethnicity.</p> <p>Federal fields follow the guideline "Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity" published in the Federal Register Notice October 30, 1997.</p> <p>Store the value in the field AI_AK_NTV_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.AI_AK_NTV_FLG).</p> <p>Transform the codes stored in the LTC_RACE_ETHN_EVNT.AI_AK_NTV_FLG field using the following rules:</p> <p><input type="checkbox"/> Code Y becomes Y</p> <p><input type="checkbox"/> Code N becomes N <input type="checkbox"/></p> <p>Empty Value becomes U.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_AMERICAN_INDIAN_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Federal Asian Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person of Asian ethnicity.</p> <p>Store the value in the field ASIA_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.ASIA_FLG).</p> <p>Transform the codes stored in the LTC_RACE_ETHN_EVNT.BLK_AFR_FLG field using the following rules: <input type="checkbox"/></p> <p>Code Y becomes Y</p> <p><input type="checkbox"/> Code N becomes N <input type="checkbox"/></p> <p>Empty Value becomes U.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_ASIAN_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Federal Black or African American Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person of Black/African American ethnicity.</p> <p>Store the value in the field BLK_AFR_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.BLK_AFR_FLG).</p> <p>Transform the codes stored in the LTC_RACE_ETHN_EVNT.BLK_AFR_FLG field using the following rules: <input type="checkbox"/></p> <p>Code Y becomes Y <input type="checkbox"/></p> <p>Code N becomes N <input type="checkbox"/></p> <p>Empty Value becomes U.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_BLACK_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Agency	Federal Employer ID Number	2	<p>Federal Employer ID Number (FEIN) for relevant provider organizations.</p> <p>□</p> <p>Transform rules:</p> <p>If the provider record loads from an encounter SUBMISSION submitting organization record, transform the value in the {CMO MA ID} field from the encounter SUBMISSION table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_DW.DIM_ORGANIZATION table and store the value in the field {FEIN}.</p> <p>If the provider record loads from an encounter detail billing provider record and the {Billing Provider ID Qualifier} field is equal to 24, store the value in the field {Billing Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.BILLING_PROVIDER_ID). If the {Billing Provider ID Qualifier} field does not equal to 24, the {FEIN} is null.</p> <p>If the provider record loads from an encounter detail rendering provider record and the {Rendering Provider ID Qualifier} field is equal to 24, store the value in the field {Rendering Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL.</p>	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FEDERAL_EMPLOYER_ID_NUM, 'NR')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Federal Employer ID Number	2	<p>Federal Employer ID Number (FEIN) for relevant provider organizations.□</p> <p>Transform rules:</p> <p>If the provider record loads from an encounter SUBMISSION submitting organization record, transform the value in the {CMO MA ID} field from the encounter SUBMISSION table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_DW.DIM_ORGANIZATION table and store the value in the field {FEIN}.</p> <p>If the provider record loads from an encounter detail billing provider record and the {Billing Provider ID Qualifier} field is equal to 24, store the value in the field {Billing Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.BILLING_PROVIDER_ID). If the {Billing Provider ID Qualifier} field does not equal to 24, the {FEIN} is null.</p> <p>If the provider record loads from an encounter detail rendering provider record and the {Rendering Provider ID Qualifier} field is equal to 24, store the value in the field {Rendering Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL.</p>	Nvl(DIM_PROVIDER_PCA_AGENCY.FEDERAL_EMPLOYER_ID_NUM, 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Eligibility Calculated Date	Federal Fiscal Date Range	2	Date range encompassing the Federal Fiscal Year for a selected date.	DIM_DATE_PCAFCT_ELIG_CALC.FED_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Federal Fiscal Date Range	2	Date range encompassing the Federal Fiscal Year for a selected date.	DIM_DATE_PCAFCT_EVENT.FED_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Federal Fiscal Date Range	2	Date range encompassing the Federal Fiscal Year for a selected date.	DIM_DATE_PCAFCT_FIRST_ELIG.FED_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Federal Fiscal Date Range	2	Date range encompassing the Federal Fiscal Year for a selected date.	DIM_DATE_PCAFCT_SCRN_COMPLT.FED_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Federal Fiscal Month Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_ELIG_CALC.FED_FISCAL_MONTH_NUM		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Federal Fiscal Month Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_EVENT.FED_FISCAL_MONTH_NUM		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Federal Fiscal Month Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_FIRST_ELIG.FED_FISCAL_MONTH_NUM		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Federal Fiscal Month Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_SCRN_COMPLT.FED_FISCAL_MONTH_NUM		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Federal Fiscal Quarter Description	2	Description of the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_ELIG_CALC.FED_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_ELIG_CALC	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Event Date	Federal Fiscal Quarter Description	2	Description of the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_EVENT.FED_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Federal Fiscal Quarter Description	2	Description of the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_FIRST_ELIG.FED_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Federal Fiscal Quarter Description	2	Description of the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_SCRN_COMPLT.FED_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Federal Fiscal Quarter Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_ELIG_CALC.FED_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Federal Fiscal Quarter Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_EVENT.FED_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Federal Fiscal Quarter Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_FIRST_ELIG.FED_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Federal Fiscal Quarter Number	1	Number representing the federal fiscal month. The FFY runs October-September.	DIM_DATE_PCAFCT_SCRN_COMPLT.FED_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Federal Fiscal Year	1	Number representing the federal fiscal year. The FFY runs October-September. Ex. Year 2006 = 10/1/05 to 9/30/06. <input type="checkbox"/>	DIM_DATE_PCAFCT_ELIG_CALC.FED_FISCAL_YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Federal Fiscal Year	1	Number representing the federal fiscal year. The FFY runs October-September. Ex. Year 2006 = 10/1/05 to 9/30/06. <input type="checkbox"/>	DIM_DATE_PCAFCT_EVENT.FED_FISCAL_YEAR		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Federal Fiscal Year	1	Number representing the federal fiscal year. The FFY runs October-September. Ex. Year 2006 = 10/1/05 to 9/30/06. <input type="checkbox"/>	DIM_DATE_PCAFCT_FIRST_ELIG.FED_FISCAL_YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Federal Fiscal Year	1	Number representing the federal fiscal year. The FFY runs October-September. Ex. Year 2006 = 10/1/05 to 9/30/06. <input type="checkbox"/>	DIM_DATE_PCAFCT_SCRN_COMPLT.FED_FISCAL_YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Applicant Information	Federal Hispanic/Latino Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person of Hispanic/Latino ethnicity.</p> <p>Store the value in the field SPN_HSPC_LTN_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.SPN_HSPC_LTN_FLG).</p> <p>Transform the codes stored in the LTC_RACE_ETHN_EVNT.SPN_HSPC_LTN_FLG field using the following rules:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Code Y becomes Y</li> <li><input type="checkbox"/> Code N becomes N</li> <li><input type="checkbox"/> Empty Value becomes U</li> </ul>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_LATINO_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Federal Native Hawaiian or Pacific Islander Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person of Native Hawaiian / Pacific Islander ethnicity.</p> <p>The functional screen combines the race groups 'Asian' and 'Pacific Islander' together. It is not possible to populate this indicator, because we will not have any way to break apart the combined race groups.</p> <p>The combined functional screen race group 'Asian' and 'Pacific Islander' will be included in the Federal Other Race Indicator. This will allow for the combined group without under reporting using the Federal fields.</p> <p>Since a code crosswalk does not exist, store the value U in this field.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_NATIVE_HAW_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	Federal Other Race Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person that does not fall into other ethnicity groupings present.</p> <p>This field is a catch-all field designed to capture all race values reported by applications that cannot be cleanly categorized into one of the above Federal race categories. This indicator will be set using the following rules:□</p> <p>If the value in the field ASIA_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.ASIA_FLG) = 'Y' then FEDERAL_OTHER_RACE_INDICATOR = 'Y' □</p> <p>OR□</p> <p>If the value in the field OTHR_RACE_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.OTHR_RACE_FLG) = 'Y' then FEDERAL_OTHER_RACE_INDICATOR = 'Y' □</p> <p>EVERYTHING ELSE FEDERAL_OTHER_RACE_INDICATOR = 'N'</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_OTHER_RACE_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Federal White Indicator	2	<p>Federal grouping of Indicator identifying that FSIA Screener has identified the applicant as being a person of White/Caucasian ethnicity.</p> <p>Store the value in the field WHT_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.WHT_FLG).</p> <p>Transform the codes stored in the LTC_RACE_ETHN_EVNT.WHT_FLG field using the following rules:□</p> <p>Code Y becomes Y□</p> <p>Code N becomes N□</p> <p>Empty Value becomes U.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FEDERAL_WHITE_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	FIPS Responsibility County Code	2	County code for Wisconsin counties as provided by FIPS (Federal Information Processing Standards).	NVL(LTC_DW.DIM_FIPS_COUNTY.FIPS_COUNTY_CD, 'NR')		LTC_DW.DIM_FIPS_COUNTY	1
Personal Care Applicant Information	FIPS Responsibility County Description	2	County name description as provided by FIPS.	NVL(LTC_DW.DIM_FIPS_COUNTY.FIPS_COUNTY_DSC, 'Value Unknown / Not Reported')		LTC_DW.DIM_FIPS_COUNTY	1
Personal Care First Eligibility Calculated Date	First Eligibility Calculated First Screen Full Date	3	Eligibility Calculated Date is the month, day and year on which the eligibility for adult personal care was calculated. Date presented in this format: M/D/YYYY.	DIM_DATE_PCAFCT_FIRST_ELIG.FULL_DATE		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care First Eligibility Calculated Date	First Eligibility Calculated First Screen Month Name	2	Description of the calendar month number. Ex. January = 1.	DIM_DATE_PCAFCT_FIRST_ELIG.MONTH_NAME		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care First Eligibility Calculated Date	First Eligibility Calculated First Screen Quarter Number	1	Number representing the calendar quarter. Values are 1-4.	DIM_DATE_PCAFCT_FIRST_ELIG.QUARTER_NUM		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care First Eligibility Calculated Date	First Eligibility Calculated First Screen Year	2	Number representing the calendar year.	DIM_DATE_PCAFCT_FIRST_ELIG.YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	First Name	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_FIRST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME).</p> <p>If the person exists in the functional screen contact data, store the value from the FST_NAM field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.FST_NAME) □</p> <p>First Name is the first name of the applicant who is being screened.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_FIRST_NAME, 'Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	First Name (Contact 1)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_FIRST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME).</p> <p>If the person exists in the functional screen contact data, store the value from the FST_NAM field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.FST_NAME)</p>	NVL(DIM_PERSON_CONTACT_APC1.PERSON_FIRST_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	First Name (Contact 2)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_FIRST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME).</p> <p>If the person exists in the functional screen contact data, store the value from the FST_NAM field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.FST_NAME)</p>	NVL(DIM_PERSON_CONTACT_APC2.PERSON_FIRST_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	First Name (Contact 3)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_FIRST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the FST_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.FST_NAME).</p> <p>If the person exists in the functional screen contact data, store the value from the FST_NAM field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.FST_NAME)</p>	NVL(DIM_PERSON_CONTACT_APC3.PERSON_FIRST_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC3	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 4	First Name (Contact 4)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the FST_NAM field in the LTC_APPL_EVT table. (LTC_APPL_EVT.FST_NAME)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_FIRST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the FST_NAM field in the LTC_APPL_EVT table. (LTC_APPL_EVT.FST_NAME).</p> <p>If the person exists in the functional screen contact data, store the value from the FST_NAM field in the LTC_PRSN_EVT table. (LTC_PRSN_EVT.FST_NAME)</p>	NVL(DIM_PERSON_CONTACT_APC4.PERSON_FIRST_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Eligibility Calculated Date	Flu Season Flag	2	Describes if a date falls within the Flu Season (October 1-May 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_ELIG_CALC.FLU_SEASON_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Flu Season Flag	2	Describes if a date falls within the Flu Season (October 1-May 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_EVENT.FLU_SEASON_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Flu Season Flag	2	Describes if a date falls within the Flu Season (October 1-May 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_FIRST_ELIG.FLU_SEASON_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Flu Season Flag	2	Describes if a date falls within the Flu Season (October 1-May 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_SCRN_COMPLT.FLU_SEASON_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Agency	FSIA Adult Eligibility Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the adult screen type. E.g. None, View Only, or Read/Write.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_ADULT_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA Adult Eligibility Agency Flag	2	<p>Flag indicating whether the provider/agency can perform Adult LTC screens.</p> <p>Transformation rule: Decode(ADLT_LTC_CD,'000','N','Y')</p>	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_ADULT_AGENCY_FLAG, 'U')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA Adult Eligibility Agency Profile	2	FSIA Adult Eligibility Agency Profile is the code which identifies the security profile that is appropriate for an Adult functional screen eligibility agency or screener.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_ADULT_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	FSIA Adult Screening Agency Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the adult screen type. E.g. None, View Only, or Read/Write.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_ADULT_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA Adult Screening Agency Flag	2	<p>Flag indicating whether the provider/agency can perform Adult LTC screens.</p> <p>Transformation rule: Decode(ADLT_LTC_CD,'000','N','Y')</p>	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_ADULT_AGENCY_FLAG, 'U')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA Adult Screening Agency Profile	2	FSIA Adult Screening Agency Profile is the code which identifies the security profile that is appropriate for an Adult functional screening agency or screener.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_ADULT_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Applicant Information	FSIA American Indian or Alaskan Native Indicator	2	Indicator identifying that FSIA Screener has identified the applicant as being a person of Native American / American Indian ethnicity.	Nvl(DIM_PERSON_PCA_RECIPIENT.FSIA_AMERICAN_INDIAN_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	FSIA Asian or Pacific Islander Indicator	2	<p>Indicator identifying that FSIA Screener has identified the applicant as being a person of Asian or Pacific Island ethnicity.</p> <p>Store the value in the field ASIA_FLG from the FSIA table LTC_RACE_ETHN_EVT (LTC_RACE_ETHN_EVT.ASIA_FLG).</p> <p>Transform the codes stored in the LTC_RACE_ETHN_EVT.ASIA_FLG field using the following rules:</p> <p><input type="checkbox"/> Code Y becomes Y <input type="checkbox"/></p> <p>Code N becomes N <input type="checkbox"/></p> <p>Empty Value becomes U. <input type="checkbox"/></p>	Nvl(DIM_PERSON_PCA_RECIPIENT.FSIA_ASIAN_PACISLANDER_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	FSIA Black or African American Indicator	2	Indicator identifying that FSIA Screener has identified the applicant as being a person of Black/African American ethnicity.  Store the value in the field BLK_AFR_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.BLK_AFR_FLG).  Transform the codes stored in the LTC_RACE_ETHN_EVNT.BLK_AFR_FLG field using the following rules: Code Y becomes Y  Code N becomes N  Empty Value becomes U.	Nvl(DIM_PERSON_PCA_RECIPIENT.FSIA_BLACK_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Eligibility Agency	FSIA Child Eligibility Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the child screen type.  I.e. None, View Only, or Read/Write.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_CHILD_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA Child Eligibility Agency Flag	2	Flag indicating whether the provider/agency can perform Child LTS screens.  Transformation rule: Decode(CHLD_LTS_CD,'000','N','Y')	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_CHILD_AGENCY_FLAG, 'U')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA Child Eligibility Agency Profile	2	FSIA Child Eligibility Agency Profile is the code which identifies the security profile that is appropriate for a Child functional screen eligibility agency or screener.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_CHILD_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	FSIA Child Screening Agency Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the child screen type.  I.e. None, View Only, or Read/Write.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_CHILD_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA Child Screening Agency Flag	2	Flag indicating whether the provider/agency can perform Child LTS screens.  Transformation rule: Decode(CHLD_LTS_CD,'000','N','Y')	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_CHILD_AGENCY_FLAG, 'U')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA Child Screening Agency Profile	2	FSIA Child Screening Agency Profile is the code which identifies the security profile that is appropriate for a Child functional screening agency or screener.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_CHILD_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Applicant Information	FSIA Hispanic/Latino Indicator	2	Indicator identifying that FSIA Screener has identified the applicant as being a person of Hispanic/Latino ethnicity.	Nvl(DIM_PERSON_PCA_RECIPIENT.FSIA_HISPANIC_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Eligibility Agency	FSIA MH Eligibility Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the MH screen type.  I.e. None, View Only, or Read/Write.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_MH_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA MH Eligibility Agency Flag	2	Flag indicating whether the provider/agency can perform Mental Health screens.  Transformation rule: Decode(MH_CD,'000','N','Y')	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_MH_AGENCY_FLAG, 'U')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA MH Eligibility Agency Profile	2	FSIA MH Eligibility Agency Profile is the code which identifies the security profile that is appropriate for a Mental Health / AODA functional screen eligibility agency or screener.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_MH_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	FSIA MH Screening Agency Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the MH screen type.  I.e. None, View Only, or Read/Write.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_MH_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA MH Screening Agency Flag	2	Flag indicating whether the provider/agency can perform Mental Health screens.  Transformation rule: Decode(MH_CD,'000','N','Y')	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_MH_AGENCY_FLAG, 'U')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA MH Screening Agency Profile	2	FSIA MH Screening Agency Profile is the code which identifies the security profile that is appropriate for a Mental Health / AODA functional screening agency or screener.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_MH_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Applicant Information	FSIA Other Race Indicator	2	Indicator identifying that FSIA Screener has identified the applicant as being a person of an ethnicity other than the categories available in the functional screen.	Nvl(DIM_PERSON_PCA_RECIPIENT.FSIA_OTHER_RACE_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	FSIA Other Race Text	2	Optional Other Race description specified if applicant's race is not available in the checkboxes provided in the race section of the screen.	LTC_DW.FS_PCA_FACT_SCREEN.SUB.RACE_OTHER_TEXT		LTC_DW.FS_PCA_FACT_SCREEN.SUB	1
Personal Care Eligibility Agency	FSIA PCA Eligibility Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the personal care for adults screen type. I.e. None, View Only, or Read/Write.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_PCA_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA PCA Eligibility Agency Flag	2	Flag indicating whether the provider/agency can perform Personal Care screens.  Transformation rule: Decode(PCA_CD,'000','N','Y')	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_PCA_AGENCY_FLAG, 'U')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Eligibility Agency	FSIA PCA Eligibility Agency Profile	2	FSIA PCA Eligibility Agency Profile is the code which identifies the security profile that is appropriate for an Adult Personal Care functional screen eligibility agency or screener.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.FSIA_PCA_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	FSIA PCA Screening Agency Access Type	2	Describes the type of access that a functional screen agency has with the functional screen application for the personal care for adults screen type. I.e. None, View Only, or Read/Write.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_PCA_ACCESS_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA PCA Screening Agency Flag	2	Flag indicating whether the provider/agency can perform Personal Care screens.  Transformation rule: Decode(PCA_CD,'000','N','Y')	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_PCA_AGENCY_FLAG, 'U')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	FSIA PCA Screening Agency Profile	2	FSIA PCA Screening Agency Profile is the code which identifies the security profile that is appropriate for an Adult Personal Care functional screening agency or screener.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_PCA_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Applicant Information	FSIA Responsibility County Code	2	County code identifying a county of Responsibility in the functional screen application.	NVL(LTC_DW.DIM_FIPS_COUNTY.FSIA_COUNTY_CD, 'NR')		LTC_DW.DIM_FIPS_COUNTY	1
Personal Care Applicant Information	FSIA Responsibility County Description	2	County code description from the functional screen application.	NVL(LTC_DW.DIM_FIPS_COUNTY.FSIA_COUNTY_DSC, 'Value Unknown / Not Reported')		LTC_DW.DIM_FIPS_COUNTY	1
Personal Care Applicant Information	FSIA White Indicator	2	Indicator identifying that FSIA Screener has identified the applicant as being a person of White/Caucasian ethnicity.  Store the value in the field WHT_FLG from the FSIA table LTC_RACE_ETHN_EVNT (LTC_RACE_ETHN_EVNT.WHT_FLG).  Transform the codes stored in the LTC_RACE_ETHN_EVNT.WHT_FLG field using the following rules:  Code Y becomes Y  Code N becomes N  Empty Value becomes U.	Nvl(DIM_PERSON_PCA_RECIPIENT.FSIA_WHITE_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Medically Oriented Task Part II	GI Tube Site Care Daily Frequency Code	2	GI Tube Site Care Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the GI Tube Site Care related Medically Oriented Task.	FS_PCA_DIM_MOT_GI_TUBE_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_GI_TUBE_DFREQ	1
Medically Oriented Task Part II	GI Tube Site Care Daily Frequency Description	2	GI Tube Site Care Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the GI Tube Site Care related Medically Oriented Task.	FS_PCA_DIM_MOT_GI_TUBE_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_GI_TUBE_DFREQ	1
Medically Oriented Task Part II	GI Tube Site Care Flag	2	GI Tube Site Care Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: gastrointestinal tube site care.  Transform Rules: Set the GI_TUBE_SITE_CARE_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC1' and DGNS_CD = '005' and DGNS_SUB_GRP_CD = 'MOTPC1'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK1.GI_TUBE_SITE_CARE_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK1	1
Medically Oriented Task Part II	GI Tube Site Care Weekly Frequency Code	2	GI Tube Site Care Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the GI Tube Site Care related Medically Oriented Task.	PCA_DIM_MOT_GI_TUBE_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_GI_TUBE_WFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Medically Oriented Task Part II	GI Tube Site Care Weekly Frequency Description	2	GI Tube Site Care Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the GI Tube Site Care related Medically Oriented Task.	PCA_DIM_MOT_GI_TUBE_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_GI_TUBE_WFREQ	1
Medically Oriented Task Part II	Glucometer Readings Daily Frequency Code	2	Glucometer Readings Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Glucometer Readings related Medically Oriented Task.	FS_PCA_DIM_MOT_GLUCOM_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_GLUCOM_DFREQ	1
Medically Oriented Task Part II	Glucometer Readings Daily Frequency Description	2	Glucometer Readings Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Glucometer Readings related Medically Oriented Task.	FS_PCA_DIM_MOT_GLUCOM_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_GLUCOM_DFREQ	1
Medically Oriented Task Part II	Glucometer Readings Flag	2	Glucometer Read Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Glucometer readings (allowed when medical history supports the need for frequent ongoing monitoring and the physician has established parameters). Transform Rules: Set the GLUCOMETER_READ_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC1' and DGNS_CD = '001' and DGNS_SUB_GRP_CD = 'MOTPC1'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK1.GLUCOMETER_READ_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK1	1
Medically Oriented Task Part II	Glucometer Readings Weekly Frequency Code	2	Glucometer Readings Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Glucometer Readings related Medically Oriented Task.	PCA_DIM_MOT_GLUCOM_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_GLUCOM_WFREQ	1
Medically Oriented Task Part II	Glucometer Readings Weekly Frequency Description	2	Glucometer Readings Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Glucometer Readings related Medically Oriented Task.	PCA_DIM_MOT_GLUCOM_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_GLUCOM_WFREQ	1
Personal Care ADL Grooming	Grooming Help Code	2	Grooming Help Code - Specifies the level of assistance the applicant requires for grooming.	LTC_DW.FS_PCA_DIM_ADL_GROOMING.GROOM_HELP_CD		LTC_DW.FS_PCA_DIM_ADL_GROOMING	1
Personal Care ADL Grooming	Grooming Help Comment	2	Grooming Help Comment provides the details on the help that the applicant requires for grooming.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ADL_GROOM_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care ADL Grooming	Grooming Help Daily Frequency Code	2	Grooming Help/Day Code - Indicates when the PCW assistance is needed with grooming.	LTC_DW.FS_PCA_DIM_ADL_GROOMING.GROOM_HELP_DY_CD		LTC_DW.FS_PCA_DIM_ADL_GROOMING	1
Personal Care ADL Grooming	Grooming Help Daily Frequency Description	2	Grooming Help/Day Frequency - Indicates when the PCW assistance is needed with grooming.	LTC_DW.FS_PCA_DIM_ADL_GROOMING.GROOM_HELP_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_GROOMING	1
Personal Care ADL Grooming	Grooming Help Description	2	Grooming Help Description - Specifies the level of assistance the applicant requires for grooming.	LTC_DW.FS_PCA_DIM_ADL_GROOMING.GROOM_HELP_DESC		LTC_DW.FS_PCA_DIM_ADL_GROOMING	1
Personal Care ADL Grooming	Grooming Help Weekly Frequency Code	2	Grooming Help Days/Week Code - Specifies the number of days per week the agency will provide PCW assistance for grooming.	LTC_DW.FS_PCA_DIM_ADL_GROOMING.GROOM_HELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_GROOMING	1
Personal Care ADL Grooming	Grooming Help Weekly Frequency Description	2	Grooming Help Days/Week Frequency - Specifies the number of days per week the agency will provide PCW assistance for grooming.	LTC_DW.FS_PCA_DIM_ADL_GROOMING.GROOM_HELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_GROOMING	1
Personal Care Applicant Information	Home Phone Number	2	Store the full phone number value in the field PHN_NUM from the FSIA table LTC_ADR_EVT (LTC_ADR_EVT.PHN_NUM). This is the Home Phone Number of the person who is being screened.	<pre> When length(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER) = 10 Then   'C'      substr(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER,1,3)    'Y'      substr(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER,4,3)    'V'      substr(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER,7,4) When length(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER) = 7 Then   'C'    'Y'      substr(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER,1,3)      substr(DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER,4,4) Else   DIM_PERSON_PCA_RECIPIENT.HOME_PHONE_NUMBER EndIf, 'NR' </pre>		DIM_PERSON_PCA_RECIPIENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 1	Home Phone Number (Contact 1)	2	Store the full phone number value in the field PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER) = 10 Then '('    substr(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER, 1,3)    ')'    substr(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER, 4,3)    '-'    substr(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER, 7,4) When length(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER) = 7 Then '('    substr(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER, 1,3)    substr(DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER, 4,4) Else DIM_PERSON_CONTACT_APC1.HOME_PHONE_NUMBER )		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Home Phone Number (Contact 2)	2	Store the full phone number value in the field PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER) = 10 Then '('    substr(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER, 1,3)    ')'    substr(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER, 4,3)    '-'    substr(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER, 7,4) When length(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER) = 7 Then '('    substr(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER, 1,3)    substr(DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER, 4,4) Else DIM_PERSON_CONTACT_APC2.HOME_PHONE_NUMBER )		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Home Phone Number (Contact 3)	2	Store the full phone number value in the field PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER) = 10 Then '('    substr(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER, 1,3)    ')'    substr(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER, 4,3)    '-'    substr(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER, 7,4) When length(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER) = 7 Then '('    substr(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER, 1,3)    substr(DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER, 4,4) Else DIM_PERSON_CONTACT_APC3.HOME_PHONE_NUMBER )		DIM_PERSON_CONTACT_APC3	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 4	Home Phone Number (Contact 4)	2	Store the full phone number value in the field PHN_NUM from the FSIA table LTC_ADR_EVT (LTC_ADR_EVT.PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER) = 10 Then '('    substr(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER, 1,3)    ')'    substr(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER, 4,3)    '-'    substr(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER, 7,4) When length(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER) = 7 Then '('    substr(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER, 1,3)    substr(DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER, 4,4) Else DIM_PERSON_CONTACT_APC4.HOME_PHONE_NUMBER )		DIM_PERSON_CONTACT_APC4	1
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis 1 Code Text	2	Free hand text field containing the first ICD Diagnosis Code found in the home care section of the Personal Care screen. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ICD_DIAGNOSIS_CODE1_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis 2 Code Text	2	Free hand text field containing the second ICD Diagnosis Code found in the home care section of the Personal Care screen. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ICD_DIAGNOSIS_CODE2_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis 3 Code Text	2	Free hand text field containing the third ICD Diagnosis Code found in the home care section of the Personal Care screen. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ICD_DIAGNOSIS_CODE3_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis1 Code	2	Code which indicates a specific ICD9 diagnosis1/condition. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC1.ICD_DIAGNOSIS_CODE		DIM_DIAGNOSIS_ICD9_APC1	1
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis1 Description	2	Short description of ICD9 diagnosis1/condition associated with diagnosis code1. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC1.ICD_DIAGNOSIS_DSC		DIM_DIAGNOSIS_ICD9_APC1	1
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis1 Display Code	2	Code which indicates a specific ICD9 diagnosis1/condition. This specific version of the code includes the decimal code separator for the code where appropriate. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	case when substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code, 1,1) = 'E' and length(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code) > 4 then substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code, 1,4)  ' ' substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code,5) when length(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code) > 3 and regexp_instr(substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code,2), '[[:upper:]]') = 0 and substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code,1,1) not in ('E', 'T', 'Y') then substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code, 1,3)   ' ' substr(DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code,4) else DIM_DIAGNOSIS_ICD9_APC1.icd_diagnosis_code end		DIM_DIAGNOSIS_ICD9_APC1	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis1 Effective Date	3	Effective Date of ICD9-CM Diagnosis Code 1. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC1.EFFECTIVE_BEGIN_DATE		DIM_DIAGNOSIS_ICD9_APC1	1
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis1 End Date	3	End Date of ICD9-CM Diagnosis Code 1. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC1.EFFECTIVE_END_DATE		DIM_DIAGNOSIS_ICD9_APC1	1
ICD9-CM Diagnosis1 Code	ICD9-CM Diagnosis1 Long Description	2	Long description of ICD9 diagnosis1/condition associated with diagnosis code1. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC1.ICD_DIAGNOSIS_LONG_DS C		DIM_DIAGNOSIS_ICD9_APC1	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis2 Code	2	Code which indicates a specific ICD9 diagnosis2/condition. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC2.ICD_DIAGNOSIS_CODE		DIM_DIAGNOSIS_ICD9_APC2	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis2 Description	2	Short description of ICD9 diagnosis2/condition associated with diagnosis code. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC2.ICD_DIAGNOSIS_DSC		DIM_DIAGNOSIS_ICD9_APC2	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis2 Display Code	2	Code which indicates a specific ICD9 diagnosis2/condition. This specific version of the code includes the decimal code separator for the code where appropriate. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	case <input type="checkbox"/> when substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code, 1,1) = 'E' <input type="checkbox"/> and length(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code) > 4 <input type="checkbox"/> then substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code, 1,4)  "."   substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code,5) <input type="checkbox"/> when length(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code) > 3 <input type="checkbox"/> and regexp_instr( substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code,2), '[[:upper:]]') = 0 <input type="checkbox"/> and substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code,1,1) ) not in ('E', 'T', 'Y') <input type="checkbox"/> then substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code, 1,3)   "."   substr(DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code,4) <input type="checkbox"/> else DIM_DIAGNOSIS_ICD9_APC2.icd_diagnosis_code end		DIM_DIAGNOSIS_ICD9_APC2	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis2 Effective Date	3	Effective Date of ICD9-CM Diagnosis Code 2. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC2.EFFECTIVE_BEGIN_DATE		DIM_DIAGNOSIS_ICD9_APC2	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis2 End Date	3	End Date of ICD9-CM Diagnosis Code 2. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC2.EFFECTIVE_END_DATE		DIM_DIAGNOSIS_ICD9_APC2	1
ICD9-CM Diagnosis2 Code	ICD9-CM Diagnosis2 Long Description	2	Long description of ICD9 diagnosis2/condition associated with diagnosis code. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC2.ICD_DIAGNOSIS_LONG_DS C		DIM_DIAGNOSIS_ICD9_APC2	1
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis3 Code	2	Code which indicates a specific ICD9 diagnosis3/condition. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC3.ICD_DIAGNOSIS_CODE		DIM_DIAGNOSIS_ICD9_APC3	1
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis3 Description	2	Short description of ICD9 diagnosis3/condition associated with diagnosis code. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC3.ICD_DIAGNOSIS_DSC		DIM_DIAGNOSIS_ICD9_APC3	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis3 Display Code	2	Code which indicates a specific ICD9 diagnosis3/condition. This specific version of the code includes the decimal code separator for the code where appropriate. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	<pre> case when substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code, 1,1) = 'E' and length(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code) &gt; 4 then substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code, 1,4)  ' ' substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code,5) when length(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code) &gt; 3 and regexp_instr( substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code,2), [':upper:']) = 0 and substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code,1,1) not in ('E', 'T', 'Y') then substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code, 1,3)  ' ' substr(DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code,4) else DIM_DIAGNOSIS_ICD9_APC3.icd_diagnosis_code end </pre>		DIM_DIAGNOSIS_ICD9_APC3	1
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis3 Effective Date	3	Effective Date of ICD9-CM Diagnosis Code 3. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC3.EFFECTIVE_BEGIN_DATE		DIM_DIAGNOSIS_ICD9_APC3	1
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis3 End Date	3	End Date of ICD9-CM Diagnosis Code 3. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC3.EFFECTIVE_END_DATE		DIM_DIAGNOSIS_ICD9_APC3	1
ICD9-CM Diagnosis3 Code	ICD9-CM Diagnosis3 Long Description	2	Long description of ICD9 diagnosis3/condition associated with diagnosis code. NOTE: The diagnosis codes captured by the personal care screen are not validated against a reference code set to determine the validity of the code. Codes entered may NOT be valid codes.	DIM_DIAGNOSIS_ICD9_APC3.ICD_DIAGNOSIS_LONG_DS C		DIM_DIAGNOSIS_ICD9_APC3	1
Personal Care Worker Factor	Incidental Services ADL Flag	2	Services Incidental to ADL Flag - Indicates a "Y" if services incidental to the ADLs and medically oriented tasks will be performed by the PCW and an "N" if they will not.	LTC_DW.FS_PCA_DIM_PC_WORKER.SERVICE_INCIDENTAL_ADL_FLAG		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Applicant Information	Interpreter Flag	2	Interpreter Flag is populated as a "Y" if any interpreter language is submitted in the interpreter services box of any of the functional screens.	NVL(DIM_PERSON_PCA_RECIPIENT.INTERPRETER_NEED_FLAG,'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Interpreter Language	2	Store the transformed value of the field INTPTR_LANG_CD from the FSIA table APPL_DGRPH_EVTNT (APPL_DGRPH_EVTNT.INTPTR_LANG_CD). Interpreter Language Code is the code that identifies the language of the interpreter of the person who is being screened.	Nvl(DIM_PERSON_PCA_RECIPIENT.INTERPRETER_LANGUAGE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Interpreter Language Other Text	2	Other interpreter language required if not included in the list provided on the interpreter section of the screen.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.INTERPRET_LANGUAGE_OTHER_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
FSIA PCA Load Information	Job Description	2	Text describing the function of the job.	LTC_DW.LOAD_STATS.JOB_DESCRIPTION		LTC_DW.LOAD_STATS	1
FSIA PCA Load Information	Job Frequency	2	Holds information about how often the job runs. Allowable values are DAILY, WEEKLY, MONTHLY, QUARTERLY, ANNUAL, SEMI-MONTHLY, SEMI-ANNUAL, BI-WEEKLY, BI-MONTHLY, and ON-REQUEST.	LTC_DW.LOAD_STATS.JOB_FREQUENCY		LTC_DW.LOAD_STATS	1
FSIA PCA Load Information	Job Name	2	The name of the load job.	LTC_DW.LOAD_STATS.JOB_NAME		LTC_DW.LOAD_STATS	1
Personal Care Eligibility Calculated Date	Last Day In Month Flag	2	Flag indicating if a date is the last day in a month.	DIM_DATE_PCAFCT_ELIG_CALC.LAST_DAY_IN_MONTH_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Last Day In Month Flag	2	Flag indicating if a date is the last day in a month.	DIM_DATE_PCAFCT_EVENT.LAST_DAY_IN_MONTH_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Last Day In Month Flag	2	Flag indicating if a date is the last day in a month.	DIM_DATE_PCAFCT_FIRST_ELIG.LAST_DAY_IN_MONTH_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Last Day In Month Flag	2	Flag indicating if a date is the last day in a month.	DIM_DATE_PCAFCT_SCRN_COMPLT.LAST_DAY_IN_MONTH_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	Last Name	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_LAST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the LAST_NAM field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.LAST_NAM)</p> <p>. □ Last Name is the last name of the applicant who is being screened.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_LAST_NAME , 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Last Name (Contact 1)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_LAST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the LAST_NAM field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.LAST_NAM)</p>	NVL(DIM_PERSON_CONTACT_APC1.PERSON_LAST_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Last Name (Contact 2)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_LAST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the LAST_NAM field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.LAST_NAM)</p>	NVL(DIM_PERSON_CONTACT_APC2.PERSON_LAST_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Last Name (Contact 3)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_LAST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the LAST_NAM field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.LAST_NAM)</p>	NVL(DIM_PERSON_CONTACT_APC3.PERSON_LAST_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC3	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 4	Last Name (Contact 4)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_LAST_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the LAST_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.LAST_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the LAST_NAM field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.LAST_NAM)</p>	NVL(DIM_PERSON_CONTACT_APC4.PERSON_LAST_NAME, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Applicant Information	Master Client Index ID	2	<p>If the person is loaded from the functional screen and only exists in the functional screen applicant data store the value in the field MASTER_CUSTOMER_INDEX from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.MCI_ID).</p> <p>If the person is loaded from the Encounter Audit and Archive and only exists in the Encounter Audit and Archive store the value in the field MASTER_CUSTOMER_INDEX from the table ENCOUNTER_MCI_CROSSWALK.</p> <p>If the person exists in both and the matching id is MCI, store the value in the field MASTER_CUSTOMER_INDEX from the table ENCOUNTER_FSIA_MCI_CROSSWALK.</p> <p>If the person exists in both and the matching id is something other than MCI, store the value from the functional screen. MCI or Master Client Index is an application that is used to identify person in different programs across the State.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.MASTER_CLIENT_INDEX_ID, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Master Client Index Multi Indicator	2	Indicator which communicates whether a sufficient enough match was delivered from Wisconsin Title XIX Medicaid Interchange system while trying to match a Medicaid Recipient ID to Master Client Index. A value of 'N' indicates that a sufficient match with greater than 97% confidence was made (whether one or more IDs were returned or a new ID has been generated) and a 'Y' indicates that multiple Master Client Index IDs were returned with a less than 97% confidence match.	Nvl(DIM_PERSON_PCA_RECIPIENT.MASTER_CLIENT_INDEX_MULTI_IND, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	MCI ID Match Value	2	<p>Implied Master Client Index ID Match Confidence Value based on the MASTER_CLIENT_INDEX_MULTI_IND value returned from the Medicaid Title XIX Interchange system used for Medicaid Recipients. □</p> <p>Transformed values allowed are: □</p> <p>'&gt;97%' - a greater than 97% match confidence is given (whether there was one or more ids returned or a new Master Client Index ID was generated). □</p> <p>□</p> <p>'&lt;97%' - a confidence value less than 97% was returned on all possible matches returned. □</p> <p>□</p> <p>'UNK' - Unknown, a value could not be determined, because the Master Client Index ID used in the person record was sourced from the Functional Screen data source. □</p> <p>□</p> <p>'NA' - The confidence level is not available because a Master Client Index ID is not available. □</p> <p>□</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.MCI_ID_MATCH_VALUE, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Medical Insurance	Medicaid HMO Company Name	2	Medicaid HMO Company Name is the name of the Company providing Medicaid.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICAID_HMO_COMPANY_NAME		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicaid HMO Flag	2	Medicaid HMO Flag is a Boolean flag that is "Y" if applicant has Medicaid HMO or "N" if applicant does not.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICAID_HMO_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicaid HMO Individual ID	2	Medicaid HMO Individual Identifier is the unique identifier for Medicaid Individual.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICAID_HMO_INDIVIDUAL_ID		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicaid HMO Policy ID	2	Medicaid HMO Policy Identifier is the unique identifier for Medicaid policy.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICAID_HMO_POLICY_ID		FS_PCA_DIM_MEDICAL_INSURANCE	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Agency	Medicaid Provider ID	2	<p>Medicaid provider id number associated with a given provider, if available.□</p> <p>Transformation rules: If the provider record loads from an encounter SUBMISSION submitting organization record, crosswalk the value from the encounter SUBMISSION table LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID using the LTC_DW.DIM_ORGANIZATION table (LTC_ENC.DIM_ORGANIZATION.ORGANIZATION_ID). Store the value in the field {Medicaid Provider ID}.</p> <p>If the provider record loads from an encounter detail billing provider record and the {MA Billing Provider ID} field is populated, store the value in the field {MA Billing Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.MA_BILLING_PROVIDER_ID).</p> <p>If the provider record loads from an encounter detail rendering provider record and the {MA Rendering Provider ID} field is populated, store the value in the field {MA Billing Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.MA_RENDERING_PROVIDER_ID).</p> <p>If the provider record loads from a FSIA agency record, store the value in the field {Medicaid Provider ID} from the crosswalk</p>	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.MEDICAID_PROVIDER_ID, 'NR')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Medicaid Provider ID	2	<p>Medicaid provider id number associated with a given provider, if available.□</p> <p>Transformation rules: If the provider record loads from an encounter SUBMISSION submitting organization record, crosswalk the value from the encounter SUBMISSION table LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID using the LTC_DW.DIM_ORGANIZATION table (LTC_ENC.DIM_ORGANIZATION.ORGANIZATION_ID). Store the value in the field {Medicaid Provider ID}.</p> <p>If the provider record loads from an encounter detail billing provider record and the {MA Billing Provider ID} field is populated, store the value in the field {MA Billing Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.MA_BILLING_PROVIDER_ID).</p> <p>If the provider record loads from an encounter detail rendering provider record and the {MA Rendering Provider ID} field is populated, store the value in the field {MA Billing Provider ID} from the encounter detail table LTC_ENC.AA_CMO_DETAIL (LTC_ENC.AA_CMO_DETAIL.MA_RENDERING_PROVIDER_ID).</p> <p>If the provider record loads from a FSIA agency record, store the value in the field {Medicaid Provider ID} from the crosswalk</p>	Nvl(DIM_PROVIDER_PCA_AGENCY.MEDICAID_PROVIDER_ID, 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Medical Insurance	Medicaid Recipient Flag	2	If a Medicaid Recipient ID is provided for the applicant, then set the flag to 'Y'. Otherwise set the flag to 'N'.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICAID_RECIPIENT_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Worker Factor	Medical Condition Impede List	2	Medical Condition Impede List describes the medical conditions and describes how they interfere with the ability to complete personal care.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.PCW_MEDICAL_CONDITION_IMPEDE_LIST		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care Worker Factor	Medical Conditions Impede Flag	2	Medical Conditions Impede Flag - Indicates a "Y" if the applicant has medical conditions that would impede the completion of personal care and an "N" if the applicant does not.	LTC_DW.FS_PCA_DIM_PC_WORKER.MEDICAL_CONDITION_IMPEDE_FLAG		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Medically Oriented Task Part II	Medically Oriented Task Part II Comment	2	Diagnoses 1 Comment Text - Describes general comments related to MOT part 2.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.DIAGNOSIS_1_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Medically Oriented Task Part III	Medically Oriented Task Part III Comment	2	Diagnoses 2 Comment Text - Describes general comments related to MOT Part 3.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.DIAGNOSIS_2_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care Medical Insurance	Medicare Managed Care Flag	2	Medicare Managed Care Flag is an indicator whether the consumer being screened has taken any Medicare Managed Care.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_MANAGED_CARE_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicare Part A Effective Date	3	Medicare Part A Effective Date is the date (MM-DD-CCYY) when the applicant's Part A Medicare became/becomes active.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_PART_A_EFFECTIVE_DATE		FS_PCA_DIM_MEDICAL_INSURANCE	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Medical Insurance	Medicare Part A Flag	2	Medicare Part A Flag is an indicator whether the consumer being screened has taken any Medicare Part A.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_PART_A_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicare Part B Effective Date	3	Medicare Part B Effective Date is the date (MM-DD-CCYY) when the applicant's Part B Medicare became/becomes active.□	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_PART_B_EFFECTIVE_DATE		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicare Part B Flag	2	Medicare Part B Flag is an indicator whether the consumer being screened has taken any Medicare Part B.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_PART_B_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicare Recipient Flag	2	If a Medicare Recipient ID is provided for the applicant, then set the flag to 'Y'. Otherwise set the flag to 'N'.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_RECIPIENT_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Medicare Recipient ID	2	Medicare Identifier is a consumer's unique Medicare number.	FS_PCA_DIM_MEDICAL_INSURANCE.MEDICARE_RECIPIENT_ID		FS_PCA_DIM_MEDICAL_INSURANCE	1
Medically Oriented Task Part I	Medication Assistance Code	2	Medication Assistance Code - Specifies if the applicant is in need of help administering their medication.	LTC_DW.FS_PCA_DIM_MEDICATION_TASK.MEDICATION_ASSISTANCE_CD		LTC_DW.FS_PCA_DIM_MEDICATION_TASK	1
Medically Oriented Task Part I	Medication Assistance Comment	2	Medication Assistance Comment provides the details on the applicant need of help administering their medication.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.MEDICATION_ASSISTANCE_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Medically Oriented Task Part I	Medication Assistance Daily Frequency Code	2	Medication Assistance/Day Code - Specifies the frequency/day that a personal care worker will assist the recipient with their medication.	LTC_DW.FS_PCA_DIM_MEDICATION_TASK.MEDICATION_ASSISTANCE_DY_CD		LTC_DW.FS_PCA_DIM_MEDICATION_TASK	1
Medically Oriented Task Part I	Medication Assistance Daily Frequency Description	2	Medication Assistance/Day Frequency - Specifies the frequency/day that a personal care worker will assist the recipient with their medication.	LTC_DW.FS_PCA_DIM_MEDICATION_TASK.MEDICATION_ASSIST_DAILY_FREQ		LTC_DW.FS_PCA_DIM_MEDICATION_TASK	1
Medically Oriented Task Part I	Medication Assistance Description	2	Medication Assistance Description - Specifies if the applicant is in need of help administering their medication.	LTC_DW.FS_PCA_DIM_MEDICATION_TASK.MEDICATION_ASSISTANCE_DSC		LTC_DW.FS_PCA_DIM_MEDICATION_TASK	1
Medically Oriented Task Part I	Medication Assistance Weekly Frequency Code	2	Medication Assistance Days/Week Code - Specifies the days/week that a personal care worker will assist the recipient with their medication.	LTC_DW.FS_PCA_DIM_MEDICATION_TASK.MEDICATION_ASSIST_DY_WK_CD		LTC_DW.FS_PCA_DIM_MEDICATION_TASK	1
Medically Oriented Task Part I	Medication Assistance Weekly Frequency Description	2	Medication Assistance Days/Week Frequency - Specifies the days/week that a personal care worker will assist the recipient with their medication.	LTC_DW.FS_PCA_DIM_MEDICATION_TASK.MEDICATION_ASSIST_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_MEDICATION_TASK	1
Personal Care Applicant Information	Middle Name	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the MID_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.MID_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_MIDDLE_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the MID_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.MID_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the MID_INIT field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.MID_INIT)</p> <p>□ Middle Name is the middle name of the applicant who is being screened.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_MIDDLE_NAME, 'Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Middle Name (Contact 1)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the MID_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.MID_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_MIDDLE_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the MID_NAM field in the LTC_APPL_EVTNT table. (LTC_APPL_EVTNT.MID_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the MID_INIT field in the LTC_PRSN_EVTNT table. (LTC_PRSN_EVTNT.MID_INIT)</p>	NVL(DIM_PERSON_CONTACT_APC1.PERSON_MIDDLE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC1	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 2	Middle Name (Contact 2)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the MID_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.MID_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_MIDDLE_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the MID_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.MID_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the MID_INIT field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.MID_INIT)</p>	NVL(DIM_PERSON_CONTACT_APC2.PERSON_MIDDLE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Middle Name (Contact 3)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the MID_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.MID_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_MIDDLE_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the MID_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.MID_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the MID_INIT field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.MID_INIT)</p>	NVL(DIM_PERSON_CONTACT_APC3.PERSON_MIDDLE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Middle Name (Contact 4)	2	<p>If the person exists in ONLY the functional screen applicant data, store the value from the MID_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.MID_NAM)</p> <p>If the person exists in ONLY the encounter data, store the value from the RECIPIENT_MIDDLE_NAME field in the encounter data.</p> <p>If the person exists in BOTH the functional screen applicant data and the encounter data, store the value from the MID_NAM field in the LTC_APPL_EVNT table. (LTC_APPL_EVNT.MID_NAM).</p> <p>If the person exists in the functional screen contact data, store the value from the MID_INIT field in the LTC_PRSN_EVNT table. (LTC_PRSN_EVNT.MID_INIT)</p>	NVL(DIM_PERSON_CONTACT_APC4.PERSON_MIDDLE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Applicant Information	Mobile Phone Number	2	<p>Store the full phone number value in the field MBL_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.MBL_PHN_NUM). □ This is the Mobile Phone Number of the person who is being screened.</p>	<p>Nvl((Case When length(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER) = 10 Then □ '('    substr(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER,1,3)    ')'    substr(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER,7,4) □ When length(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER) = 7 Then □ '('    substr(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER,1,3)    substr(DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER,4,4) □ Else DIM_PERSON_PCA_RECIPIENT.MOBILE_PHONE_NUMBER □ End), 'NR') □</p>		DIM_PERSON_PCA_RECIPIENT	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 1	Mobile Phone Number (Contact 1)	2	Store the full phone number value in the field MBL_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.MBL_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER) = 10 Then 'C'    substr(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER,1,3)    'Y'    substr(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER,7,4) When length(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER) = 7 Then 'C'    'Y'    substr(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER,1,3)    substr(DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER,4,4) Else DIM_PERSON_CONTACT_APC1.MOBILE_PHONE_NUMBER R)		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Mobile Phone Number (Contact 2)	2	Store the full phone number value in the field MBL_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.MBL_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER) = 10 Then 'C'    substr(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER,1,3)    'Y'    substr(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER,7,4) When length(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER) = 7 Then 'C'    'Y'    substr(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER,1,3)    substr(DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER,4,4) Else DIM_PERSON_CONTACT_APC2.MOBILE_PHONE_NUMBER R)		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Mobile Phone Number (Contact 3)	2	Store the full phone number value in the field MBL_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.MBL_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER) = 10 Then 'C'    substr(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER,1,3)    'Y'    substr(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER,7,4) When length(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER) = 7 Then 'C'    'Y'    substr(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER,1,3)    substr(DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER,4,4) Else DIM_PERSON_CONTACT_APC3.MOBILE_PHONE_NUMBER R)		DIM_PERSON_CONTACT_APC3	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 4	Mobile Phone Number (Contact 4)	2	Store the full phone number value in the field MBL_PHN_NUM from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT.MBL_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER) = 10 Then ' '    substr(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER,1,3)    ' '    substr(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER,4,3)    ' '    substr(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER,7,4) When length(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER) = 7 Then ' '    substr(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER,1,3)    substr(DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER,4,4) Else DIM_PERSON_CONTACT_APC4.MOBILE_PHONE_NUMBER R		DIM_PERSON_CONTACT_APC4	1
Personal Care ADL Mobility	Mobility Help Code	2	Mobility Help Code - Specifies the level of assistance an applicant requires for mobility.	LTC_DW.FS_PCA_DIM_ADL_MOBILITY.MOBILITY_HELP_CODE		LTC_DW.FS_PCA_DIM_ADL_MOBILITY	1
Personal Care ADL Mobility	Mobility Help Comment	2	Mobility Help Comment provides the details on the help that the applicant requires for mobility.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ADL_MOBILITY_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care ADL Mobility	Mobility Help Daily Frequency Code	2	Mobility Help/Day Code - Specifies the number of times per day the applicant requires assistance with mobility.	LTC_DW.FS_PCA_DIM_ADL_MOBILITY.MOBILITY_HELP_DAILY_CD		LTC_DW.FS_PCA_DIM_ADL_MOBILITY	1
Personal Care ADL Mobility	Mobility Help Daily Frequency Description	2	Mobility Help/Day Frequency - Specifies the number of times per day the applicant requires assistance with mobility.	LTC_DW.FS_PCA_DIM_ADL_MOBILITY.MOBILITY_HELP_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_MOBILITY	1
Personal Care ADL Mobility	Mobility Help Description	2	Mobility Help Description - Specifies the level of assistance an applicant requires for mobility.	LTC_DW.FS_PCA_DIM_ADL_MOBILITY.MOBILITY_HELP_DESCRIPTION		LTC_DW.FS_PCA_DIM_ADL_MOBILITY	1
Personal Care ADL Mobility	Mobility Help Weekly Frequency Code	2	Mobility Help Days/Week Code - Specifies the number of days per week the agency will provide PCW assistance with mobility.	LTC_DW.FS_PCA_DIM_ADL_MOBILITY.MOBILITY_HELP_DAILY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_MOBILITY	1
Personal Care ADL Mobility	Mobility Help Weekly Frequency Description	2	Mobility Help Days/Week Frequency - Specifies the number of days per week the agency will provide PCW assistance with mobility.	LTC_DW.FS_PCA_DIM_ADL_MOBILITY.MOBILITY_HELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_MOBILITY	1
Personal Care Eligibility Calculated Date	Month Abbreviation	2	Abbreviation of the calendar month description. Ex. January = Jan.	DIM_DATE_PCAFCT_ELIG_CALC.MONTH_ABBREV		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Month Abbreviation	2	Abbreviation of the calendar month description. Ex. January = Jan.	DIM_DATE_PCAFCT_EVENT.MONTH_ABBREV		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Month Abbreviation	2	Abbreviation of the calendar month description. Ex. January = Jan.	DIM_DATE_PCAFCT_FIRST_ELIG.MONTH_ABBREV		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Month Abbreviation	2	Abbreviation of the calendar month description. E.g. January = Jan.	DIM_DATE_PCAFCT_SCRN_COMPLT.MONTH_ABBREV		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Month Abbreviation Year	2	The calendar year and month presented in this format: MMM/YYYY.	DIM_DATE_PCAFCT_ELIG_CALC.MONTH_ABBREV_YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Month Abbreviation Year	2	The calendar year and month presented in this format: MMM/YYYY.	DIM_DATE_PCAFCT_EVENT.MONTH_ABBREV_YEAR		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Month Abbreviation Year	2	The calendar year and month presented in this format: MMM/YYYY.	DIM_DATE_PCAFCT_FIRST_ELIG.MONTH_ABBREV_YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Month Abbreviation Year	2	The calendar year and month presented in this format: MMM/YYYY.	DIM_DATE_PCAFCT_SCRN_COMPLT.MONTH_ABBREV_YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Month Number	1	Number representing the calendar month. Values are 1-12 with 1 being January.	DIM_DATE_PCAFCT_ELIG_CALC.MONTH_NUM		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Month Number	1	Number representing the calendar month. Values are 1-12 with 1 being January.	DIM_DATE_PCAFCT_EVENT.MONTH_NUM		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Month Number	1	Number representing the calendar month. Values are 1-12 with 1 being January.	DIM_DATE_PCAFCT_FIRST_ELIG.MONTH_NUM		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Month Number	1	Number representing the calendar month. Values are 1-12 with 1 being January.	DIM_DATE_PCAFCT_SCRN_COMPLT.MONTH_NUM		DIM_DATE_PCAFCT_SCRN_COMPLT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Calculated Date	Month Number Overall	1	Number of the month in the overall dimension.	DIM_DATE_PCAFCT_ELIG_CALC.MONTH_NUM_OVERALL		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Month Number Overall	1	Number of the month in the overall dimension.	DIM_DATE_PCAFCT_EVENT.MONTH_NUM_OVERALL		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Month Number Overall	1	Number of the month in the overall dimension.	DIM_DATE_PCAFCT_FIRST_ELIG.MONTH_NUM_OVERALL		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Month Number Overall	1	Number of the month in the overall dimension.	DIM_DATE_PCAFCT_SCRN_COMPLT.MONTH_NUM_OVERALL		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Month Year	2	The calendar year and month presented in this format: MM/YYYY.	DIM_DATE_PCAFCT_ELIG_CALC.MONTH_YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Month Year	2	The calendar year and month presented in this format: MM/YYYY.	DIM_DATE_PCAFCT_EVENT.MONTH_YEAR		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Month Year	2	The calendar year and month presented in this format: MM/YYYY.	DIM_DATE_PCAFCT_FIRST_ELIG.MONTH_YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Month Year	2	The calendar year and month presented in this format: MM/YYYY.	DIM_DATE_PCAFCT_SCRN_COMPLT.MONTH_YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Adult Personal Care Screen Measures	Most Recent Adult PC Screen Count	1	An unduplicated count of latest unique Adult Personal Care Screens that meet the other criteria of the query.	NVL(Sum(Decode(LTC_DW.FS_PCA_FACT_SCREEN.MOST_RECENT_SCREEN_IND, '1', 1, 0)), '0')		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Most Recent Screen Indicator	1	Value set to 1 if the screen record is the most recent screen and screen version on record for a given applicant. Otherwise the value is 0.	LTC_DW.FS_PCA_FACT_SCREEN.MOST_RECENT_SCREEN_IND		LTC_DW.FS_PCA_FACT_SCREEN	1
Personal Care Screen Information	Most Recent Screen Version Indicator	1	Value of 1 indicates that the record is the most recent screen version for any given screen. Otherwise value is 0.  For example, an applicant can have 2 screens with 3 versions each (a total of 6 records). Only the most recent version of each screen will have a value of 1 in this field, for a total of 2 records for this applicant.	LTC_DW.FS_PCA_FACT_SCREEN.MOST_RECENT_SCREEN_VERSION_IND		LTC_DW.FS_PCA_FACT_SCREEN	1
Personal Care Applicant Information	National Health Plan ID	2	Store the value from the NATIONAL_HEALTH_PLAN_ID field in the encounter data. The national health plan identifier for the plan.	Nvl(DIM_PERSON_PCA_RECIPIENT.NATIONAL_HEALTH_PLAN_ID, 'Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	National Recipient ID	2	Store the value from the NATIONAL_RECIPIENT_ID field in the encounter data. The person's national subscriber identifier.	Nvl(DIM_PERSON_PCA_RECIPIENT.NATIONAL_RECIPIENT_ID, 'Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care ADL Eating	No Meal Help Flag	2	No Meal Help Flag is marked as 'Y' if EAT_BREAKFAST_HELP_FLAG, EAT_LUNCH_HELP_FLAG and EAT_DINNER_HELP_FLAG are all marked as 'N'. Otherwise the flag is marked 'N' because help is needed for at least one meal.	LTC_DW.FS_PCA_DIM_ADL_EATING.NO_MEAL_HELP_FLAG		LTC_DW.FS_PCA_DIM_ADL_EATING	1
Personal Care Medical Insurance	No Medical Insurance Flag	2	No Medical Insurance Flag is a Boolean flag that is "Y" if the child has no medical insurance and "N" if the child does have medical insurance.	FS_PCA_DIM_MEDICAL_INSURANCE.NO_MEDICAL_INSURANCE_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
FSIA PCA Load Information	Object Name	2	The name of the object into which the data is initially loaded.	LTC_DW.LOAD_STATS.OBJECT_NAME		LTC_DW.LOAD_STATS	1
FSIA PCA Load Information	Object Owner	2	The name of the schema that owns the object.	LTC_DW.LOAD_STATS.OBJECT_OWNER		LTC_DW.LOAD_STATS	1
Personal Care Applicant Information	Other Ethnicity Text	2	Additional Other Ethnicity description.	LTC_DW.FS_PCA_FACT_SCREEN.SUB.ETHNICITY_OTHER_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care Medical Insurance	Other Insurance Flag	2	Other Insurance Flag is a Boolean flag that is "Y" if the consumer has other insurance and "N" if the consumer does not.	FS_PCA_DIM_MEDICAL_INSURANCE.OTHER_INSURANCE_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Other Program	Other Program Flag	2	Other Program Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Other Program: Other (Specify).  Transform Rules: Set the OTHER_PROGRAM_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '003' and DGNS_SUB_GRP_CD = 'OTHPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.OTHER_PROGRAM_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Other Program	Other Program1 Daily Frequency Code	2	Other Program Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER1_PROG_DFREQ.MOT_DAILY_FREQ_CD		PCA_DIM_MOT_OTHER1_PROG_DFREQ	1
Other Program	Other Program1 Daily Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER1_PROG_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_OTHER1_PROG_DFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Other Program	Other Program1 Text	2	Other Medically Oriented Task comment task as listed in the Medically Oriented Task section of the Personal Care Screen.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.OTHER_MOT1_TE XT		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Other Program	Other Program1 Weekly Frequency Code	2	Other Program Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER1_PROG_WFREQ.MOT_WEEKLY_F REQ_CD		PCA_DIM_MOT_OTHER1_PR OG_WFREQ	1
Other Program	Other Program1 Weekly Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER1_PROG_WFREQ.MOT_WEEKLY_F REQ		PCA_DIM_MOT_OTHER1_PR OG_WFREQ	1
Other Program	Other Program2 Daily Frequency Code	2	Other Program Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER2_PROG_DFREQ.MOT_DAILY_FRE Q_CD		PCA_DIM_MOT_OTHER2_PR OG_DFREQ	1
Other Program	Other Program2 Daily Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER2_PROG_DFREQ.MOT_DAILY_FRE Q		PCA_DIM_MOT_OTHER2_PR OG_DFREQ	1
Other Program	Other Program2 Text	2	Other Medically Oriented Task comment task as listed in the Medically Oriented Task section of the Personal Care Screen.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.OTHER_MOT2_TE XT		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Other Program	Other Program2 Weekly Frequency Code	2	Other Program Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER2_PROG_WFREQ.MOT_WEEKLY_F REQ_CD		PCA_DIM_MOT_OTHER2_PR OG_WFREQ	1
Other Program	Other Program2 Weekly Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER2_PROG_WFREQ.MOT_WEEKLY_F REQ		PCA_DIM_MOT_OTHER2_PR OG_WFREQ	1
Other Program	Other Program3 Daily Frequency Code	2	Other Program Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER3_PROG_DFREQ.MOT_DAILY_FRE Q_CD		PCA_DIM_MOT_OTHER3_PR OG_DFREQ	1
Other Program	Other Program3 Daily Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER3_PROG_DFREQ.MOT_DAILY_FRE Q		PCA_DIM_MOT_OTHER3_PR OG_DFREQ	1
Other Program	Other Program3 Text	2	Other Medically Oriented Task comment task as listed in the Medically Oriented Task section of the Personal Care Screen.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.OTHER_MOT3_TE XT		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Other Program	Other Program3 Weekly Frequency Code	2	Other Program Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER3_PROG_WFREQ.MOT_WEEKLY_F REQ_CD		PCA_DIM_MOT_OTHER3_PR OG_WFREQ	1
Other Program	Other Program3 Weekly Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER3_PROG_WFREQ.MOT_WEEKLY_F REQ		PCA_DIM_MOT_OTHER3_PR OG_WFREQ	1
Other Program	Other Program4 Daily Frequency Code	2	Other Program Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER4_PROG_DFREQ.MOT_DAILY_FRE Q_CD		PCA_DIM_MOT_OTHER4_PR OG_DFREQ	1
Other Program	Other Program4 Daily Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER4_PROG_DFREQ.MOT_DAILY_FRE Q		PCA_DIM_MOT_OTHER4_PR OG_DFREQ	1
Other Program	Other Program4 Text	2	Other Medically Oriented Task comment task as listed in the Medically Oriented Task section of the Personal Care Screen.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.OTHER_MOT4_TE XT		LTC_DW.FS_PCA_FACT_SC REEN_SUB	1
Other Program	Other Program4 Weekly Frequency Code	2	Other Program Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER4_PROG_WFREQ.MOT_WEEKLY_F REQ_CD		PCA_DIM_MOT_OTHER4_PR OG_WFREQ	1
Other Program	Other Program4 Weekly Frequency Description	2	Other Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Other Program related Medically Oriented Task.	PCA_DIM_MOT_OTHER4_PROG_WFREQ.MOT_WEEKLY_F REQ		PCA_DIM_MOT_OTHER4_PR OG_WFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Worker Factor	PCW Accompany Medical Appointments Flag	2	Personal Care Worker Accompany Medical Appointments Flag - Indicates a "Y" if the personal care worker will accompany the recipient to medical appointments and an "N" if they will not.	LTC_DW.FS_PCA_DIM_PC_WORKER.PCW_ACCOMPANY_MED_APPTS_FLAG		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Applicant Information	Person Type Code	2	The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.  If the person is loaded from the LTC_PRSN_EVNT table, use the following code crosswalk: If the person is loaded from the LTC_APPL_EVNT table, use the code 001. <input type="checkbox"/> Person Type Code indicates whether the person is an applicant.	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_TYPE_CODE, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Person Type Code (Contact 1)	2	Person Type code describes the other type persons found in Functional Screen data. The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.  If the person is loaded from the LTC_PRSN_EVNT table, use the following code crosswalk:  If the person is loaded from the LTC_APPL_EVNT table, use the code 001.	NVL(DIM_PERSON_CONTACT_APC1.PERSON_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Person Type Code (Contact 2)	2	Person Type code describes the other type persons found in Functional Screen data. The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.  If the person is loaded from the LTC_PRSN_EVNT table, use the following code crosswalk:  If the person is loaded from the LTC_APPL_EVNT table, use the code 001.	NVL(DIM_PERSON_CONTACT_APC2.PERSON_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Person Type Code (Contact 3)	2	Person Type code describes the other type persons found in Functional Screen data. The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.  If the person is loaded from the LTC_PRSN_EVNT table, use the following code crosswalk:  If the person is loaded from the LTC_APPL_EVNT table, use the code 001.	NVL(DIM_PERSON_CONTACT_APC3.PERSON_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Person Type Code (Contact 4)	2	Person Type code describes the other type persons found in Functional Screen data. The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.  If the person is loaded from the LTC_PRSN_EVNT table, use the following code crosswalk:  If the person is loaded from the LTC_APPL_EVNT table, use the code 001.	NVL(DIM_PERSON_CONTACT_APC4.PERSON_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_APC4	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	Person Type Description	2	<p>Description of other type persons found in Functional Screen data. For Example: Guardian or Power of Attorney.</p> <p>The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.</p> <p>If the person is loaded from the LTC_PRSN_EVNT table, use the following description crosswalk: If the person is loaded from the LTC_APPL_EVNT table, use the code 001.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Person Type Description (Contact 1)	2	<p>Description of other type persons found in Functional Screen data. For Example: Guardian or Power of Attorney.</p> <p>The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.</p> <p>If the person is loaded from the LTC_PRSN_EVNT table, use the following description crosswalk: If the person is loaded from the LTC_APPL_EVNT table, use the code 001.</p>	NVL(DIM_PERSON_CONTACT_APC1.PERSON_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Person Type Description (Contact 2)	2	<p>Description of other type persons found in Functional Screen data. For Example: Guardian or Power of Attorney.</p> <p>The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.</p> <p>If the person is loaded from the LTC_PRSN_EVNT table, use the following description crosswalk: If the person is loaded from the LTC_APPL_EVNT table, use the code 001.</p>	NVL(DIM_PERSON_CONTACT_APC2.PERSON_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Person Type Description (Contact 3)	2	<p>Description of other type persons found in Functional Screen data. For Example: Guardian or Power of Attorney.</p> <p>The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.</p> <p>If the person is loaded from the LTC_PRSN_EVNT table, use the following description crosswalk: If the person is loaded from the LTC_APPL_EVNT table, use the code 001.</p>	NVL(DIM_PERSON_CONTACT_APC3.PERSON_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Person Type Description (Contact 4)	2	<p>Description of other type persons found in Functional Screen data. For Example: Guardian or Power of Attorney.</p> <p>The LTC_APPL_EVNT table contains all screen applicants that have had functional eligibility calculated. The LTC_PRSN_EVNT table contains contact information relating to screen applicants that have had functional eligibility calculated.</p> <p>If the person is loaded from the LTC_PRSN_EVNT table, use the following description crosswalk: If the person is loaded from the LTC_APPL_EVNT table, use the code 001.</p>	NVL(DIM_PERSON_CONTACT_APC4.PERSON_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Applicant Information	Postal Code	2	<p>Traditional value of postal code, however it may contain the 4 digit carrier route extension number.</p> <p>Store the value in the field ZIP_CD from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.ZIP_CD). □ Zip Code is the five to nine digit code assigned by the US Post Office to distinguish the area in which the person resides.</p>	<p>Nvl((Case When length(DIM_PERSON_PCA_RECIPIENT.POSTAL_CODE) = 9 Then substr(DIM_PERSON_PCA_RECIPIENT.POSTAL_CODE,1,5)    '-'    substr(DIM_PERSON_PCA_RECIPIENT.POSTAL_CODE,6,9) Else DIM_PERSON_PCA_RECIPIENT.POSTAL_CODE End), 'NR')</p>		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Power Of Attorney Type Code	2	Code that represents if a person is a power of attorney (POA), the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	Nvl(DIM_PERSON_PCA_RECIPIENT.POWER_OF_ATTORNEY_TYPE_CODE, 'NR')		DIM_PERSON_PCA_RECIPIENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 1	Power Of Attorney Type Code (Contact 1)	2	Code that represents if a person is a power of attorney (POA), the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC1.POWER_OF_ATTORNEY_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_AP C1	1
Personal Care Contact Information 2	Power Of Attorney Type Code (Contact 2)	2	Code that represents if a person is a power of attorney (POA), the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC2.POWER_OF_ATTORNEY_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_AP C2	1
Personal Care Contact Information 3	Power Of Attorney Type Code (Contact 3)	2	Code that represents if a person is a power of attorney (POA), the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC3.POWER_OF_ATTORNEY_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_AP C3	1
Personal Care Contact Information 4	Power Of Attorney Type Code (Contact 4)	2	Code that represents if a person is a power of attorney (POA), the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC4.POWER_OF_ATTORNEY_TYPE_CODE, 'NR')		DIM_PERSON_CONTACT_AP C4	1
Personal Care Applicant Information	Power Of Attorney Type Description	2	Description of the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	Nvl(DIM_PERSON_PCA_RECIPIENT.POWER_OF_ATTORNEY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Power Of Attorney Type Description (Contact 1)	2	Description of the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC1.POWER_OF_ATTORNEY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_AP C1	1
Personal Care Contact Information 2	Power Of Attorney Type Description (Contact 2)	2	Description of the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC2.POWER_OF_ATTORNEY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_AP C2	1
Personal Care Contact Information 3	Power Of Attorney Type Description (Contact 3)	2	Description of the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC3.POWER_OF_ATTORNEY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_AP C3	1
Personal Care Contact Information 4	Power Of Attorney Type Description (Contact 4)	2	Description of the type of POA type that is applicable. E.g. Education, Financial, or Health Care.	NVL(DIM_PERSON_CONTACT_APC4.POWER_OF_ATTORNEY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_AP C4	1
Personal Care Screen Type Information	Pre Admission Consult Flag	2	Pre Admission Counseling Flag indicates whether the adult personal care screen is related to pre admission counseling or not.	FS_PCA_DIM_SCREEN_INFO.PRE_ADMISSION_CONSULT_FLAG		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Applicant Information	Prefix Name	2	Salutation, i.e. Mrs. Store the value in the field TITLE_NAME from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.TTL_NAME).	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_PREFIX_NAME, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Prefix Name (Contact 1)	2	Salutation, i.e. Mrs. Store the value in the field TITLE_NAME from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.TTL_NAME).	NVL(DIM_PERSON_CONTACT_APC1.PERSON_PREFIX_NAME, 'NR')		DIM_PERSON_CONTACT_AP C1	1
Personal Care Contact Information 2	Prefix Name (Contact 2)	2	Salutation, i.e. Mrs. Store the value in the field TITLE_NAME from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.TTL_NAME).	NVL(DIM_PERSON_CONTACT_APC2.PERSON_PREFIX_NAME, 'NR')		DIM_PERSON_CONTACT_AP C2	1
Personal Care Contact Information 3	Prefix Name (Contact 3)	2	Salutation, i.e. Mrs. Store the value in the field TITLE_NAME from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.TTL_NAME).	NVL(DIM_PERSON_CONTACT_APC3.PERSON_PREFIX_NAME, 'NR')		DIM_PERSON_CONTACT_AP C3	1
Personal Care Contact Information 4	Prefix Name (Contact 4)	2	Salutation, i.e. Mrs. Store the value in the field TITLE_NAME from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.TTL_NAME).	NVL(DIM_PERSON_CONTACT_APC4.PERSON_PREFIX_NAME, 'NR')		DIM_PERSON_CONTACT_AP C4	1
Personal Care Medical Insurance	Private Insurance 1 Flag	2	Private Insurance 1 Flag is a Boolean flag that is "Y" if the consumer has Private Insurance 1 and "N" if the consumer does not.	FS_PCA_DIM_MEDICAL_INSURANCE.PRIVATE_INS_1_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Private Insurance 2 Flag	2	Private Insurance 2 Flag is a Boolean flag that is "Y" if the consumer has Private Insurance 2 and "N" if the consumer does not.	FS_PCA_DIM_MEDICAL_INSURANCE.PRIVATE_INS_2_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Private LTC Insurance Flag	2	Private Long Term Care Insurance Flag is an indicator whether the consumer being screened has taken any private long-term care insurance.□	FS_PCA_DIM_MEDICAL_INSURANCE.PRIVATE_LTC_INS_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Adult Personal Care Screen Measures	Pro Re Nata Annual Time Minutes	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in minutes for a 53 week period. Pro Re Nata is Latin can be understood to mean "As Needed." □ In the context of allocated time for the Personal Care Screen, PRN is essentially time for the personal care worker to accompany the service recipient to medical appointments. In general this should not be a weekly task, as the allocation is set on an as needed basis.	nv(sum(LTC_DW.FS_PCA_FACT_SCREEN.PRN_ANNUAL_TIME_MEAS),0)		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Pro Re Nata Annual Time Minutes	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in minutes for a 53 week period. Pro Re Nata is Latin can be understood to mean "As Needed." □ In the context of allocated time for the Personal Care Screen, PRN is essentially time for the personal care worker to accompany the service recipient to medical appointments. In general this should not be a weekly task, as the allocation is set on an as needed basis.	LTC_DW.FS_PCA_FACT_SCREEN.PRN_ANNUAL_TIME_MEAS		LTC_DW.FS_PCA_FACT_SCREEN	1
Adult Personal Care Screen Measures	Pro Re Nata Annual Time Units	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in units for a 53 week period. Pro Re Nata is Latin can be understood to mean "As Needed."	nv(sum(LTC_DW.FS_PCA_FACT_SCREEN.PRN_ANNUAL_TIME_MEAS/15),0)		LTC_DW.FS_PCA_FACT_SCREEN	3

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Screen Information	Pro Re Nata Annual Time Units	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in units for a 53 week period. Pro Re Nata is Latin can be understood to mean "As Needed."	LTC_DW.FS_PCA_FACT_SCREEN.PRN_ANNUAL_TIME_MEAS/15		LTC_DW.FS_PCA_FACT_SCREEN	1
Adult Personal Care Screen Measures	Pro Re Nata Weekly Time Minutes	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in minutes for a one week period. Pro Re Nata is Latin can be understood to mean "As Needed." <input type="checkbox"/> In the context of allocated time for the Personal Care Screen, PRN is essentially time for the personal care worker to accompany the service recipient to medical appointments. In general this should not be a weekly task, as the allocation is set on an as needed basis. <input type="checkbox"/>	nv(sum(LTC_DW.FS_PCA_FACT_SCREEN.PRN_WEEKLY_TIME_MEAS),'0')		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Pro Re Nata Weekly Time Minutes	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in minutes for a one week period. Pro Re Nata is Latin can be understood to mean "As Needed." <input type="checkbox"/> In the context of allocated time for the Personal Care Screen, PRN is essentially time for the personal care worker to accompany the service recipient to medical appointments. In general this should not be a weekly task, as the allocation is set on an as needed basis. <input type="checkbox"/>	LTC_DW.FS_PCA_FACT_SCREEN.PRN_WEEKLY_TIME_MEAS		LTC_DW.FS_PCA_FACT_SCREEN	1
Adult Personal Care Screen Measures	Pro Re Nata Weekly Time Units	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in units for a one week period. Pro Re Nata is Latin can be understood to mean "As Needed."	nv(sum(LTC_DW.FS_PCA_FACT_SCREEN.PRN_WEEKLY_TIME_MEAS/15),'0')		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Pro Re Nata Weekly Time Units	1	This measure is the amount of allocated time for Pro Re Nata (PRN) in units for a one week period. Pro Re Nata is Latin can be understood to mean "As Needed."	LTC_DW.FS_PCA_FACT_SCREEN.PRN_WEEKLY_TIME_MEAS/15		LTC_DW.FS_PCA_FACT_SCREEN	1
Personal Care ADL Prosthetics	Prosthetic Help Flag	2	This flag indicates whether the individual needs the assistance of a PCW worker with the placement and/or removal of a prosthetic, brace, splint, or anti-embolism hose.	LTC_DW.FS_PCA_DIM_ADL_PROSTHETIC.PROSTHETIC_HELP_FLAG		LTC_DW.FS_PCA_DIM_ADL_PROSTHETIC	1
Personal Care ADL Prosthetics	Prosthetic Help Weekly Frequency Code	2	Code indicating the weekly frequency in which help is needed to place and/or remove a prosthetic, brace, splint, or anti-embolism hose.	LTC_DW.FS_PCA_DIM_ADL_PROSTHETIC.PROSTHETIC_HELP_WEEKLY_FREQ_CD		LTC_DW.FS_PCA_DIM_ADL_PROSTHETIC	1
Personal Care ADL Prosthetics	Prosthetic Help Weekly Frequency Description	2	Description of the weekly frequency in which help is needed to place and/or remove a prosthetic, brace, splint, or anti-embolism hose.	LTC_DW.FS_PCA_DIM_ADL_PROSTHETIC.PROSTHETIC_HELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_PROSTHETIC	1
Personal Care Screening Agency	Provider Common Name	2	Name of provider, common to the master provider dimension. <input type="checkbox"/> Transformation rules for selecting common provider name listed below: If the provider record loads from an encounter submitting organization record, transform the value in the {CMO_MA_ID} field from the encounter submission table LTC_ENC_AA_CMO_SUBMISSION (LTC_ENC_AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_DW.ORGANIZATION table and store the value in the field {Provider Name}. (See end of document for table example.) <input type="checkbox"/> If the provider record loads from an encounter detail billing provider record, concatenate and store the value in the fields {Billing Provider First Name} {Billing Provider Middle Name} {Billing Provider Last Name or Organization} from the encounter detail table LTC_ENC_AA_CMO_DETAIL (LTC_ENC_AA_CMO_DETAIL.BILLING_PROVIDER_FIRST_NAME, LTC_ENC_AA_CMO_DETAIL.BILLING_PROVIDER_MIDDLE_NAME, LTC_ENC_AA_CMO_DETAIL.BILLING_PROV_LAST_NAME_OR_ORG). Separate each field with one space and trim the combined field of all leading and trailing spaces. <input type="checkbox"/>	Nv(DIM_PROVIDER_PCA_AGENCY.PROVIDER_COMMON_NAME, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Agency	Provider NPI	2	<p>National Provider ID is the CMS standard identifier for healthcare providers.</p> <p>Transform rules: If the provider record loads from an encounter SUBMISSION submitting organization record, transform the value in the {CMO_MA_ID} field from the encounter submission table LTC_ENC_AA_CMO_SUBMISSION (LTC_ENC_AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_DW_DIM_ORGANIZATION table and store the value in the field {NPI}.</p> <p>If the provider record loads from an encounter detail billing provider record and the {Billing Provider ID Qualifier} field is equal to XX, store the value in the field {Billing Provider ID} from the encounter detail table LTC_ENC_AA_CMO_DETAIL (LTC_ENC_AA_CMO_DETAIL.BILLING_PROVIDER_ID). If the {Billing Provider ID Qualifier} field does not equal to XX, the {national provider id} field is null.</p> <p>If the provider record loads from an encounter detail rendering provider record and the {Rendering Provider ID Qualifier} field is equal to XX, store the value in the field {Rendering Provider ID} from the encounter detail table</p>	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.PROVIDER_NPI, 'NR')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Provider NPI	2	<p>National Provider ID is the CMS standard identifier for healthcare providers.</p> <p>Transform rules: If the provider record loads from an encounter SUBMISSION submitting organization record, transform the value in the {CMO_MA_ID} field from the encounter submission table LTC_ENC_AA_CMO_SUBMISSION (LTC_ENC_AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_DW_DIM_ORGANIZATION table and store the value in the field {NPI}.</p> <p>If the provider record loads from an encounter detail billing provider record and the {Billing Provider ID Qualifier} field is equal to XX, store the value in the field {Billing Provider ID} from the encounter detail table LTC_ENC_AA_CMO_DETAIL (LTC_ENC_AA_CMO_DETAIL.BILLING_PROVIDER_ID). If the {Billing Provider ID Qualifier} field does not equal to XX, the {national provider id} field is null.</p> <p>If the provider record loads from an encounter detail rendering provider record and the {Rendering Provider ID Qualifier} field is equal to XX, store the value in the field {Rendering Provider ID} from the encounter detail table</p>	Nvl(DIM_PROVIDER_PCA_AGENCY.PROVIDER_NPI, 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Provider Source Code	2	<p>Two digit code created in ETL process to list the source of the provider record in this table. Possible sources are functional screen and LTC Encounter. Within Encounter there are submitting, billing, and rendering providers as well as special situations to identify DEA numbers.</p> <p>Available codes are: <input type="checkbox"/> FS = Functional Screen, SO = Submitting Organization, RP = Rendering Provider, <input type="checkbox"/> BP = Billing Provider, MS=Multiple Sources (i.e. Functional Screen and Submitting Org).</p>	Nvl(DIM_PROVIDER_PCA_AGENCY.PROVIDER_SOURCE_CODE, 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Eligibility Calculated Date	Quarter Description	2	Description of the calendar quarter number. Ex. 1st Quarter = 1.	DIM_DATE_PCAFCT_ELIG_CALC.QUARTER_DSC		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Quarter Description	2	Description of the calendar quarter number. Ex. 1st Quarter = 1.	DIM_DATE_PCAFCT_EVENT.QUARTER_DSC		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Quarter Description	2	Description of the calendar quarter number. Ex. 1st Quarter = 1.	DIM_DATE_PCAFCT_FIRST_ELIG.QUARTER_DSC		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Quarter Description	2	Description of the calendar quarter number. E.g. 1st Quarter = 1.	DIM_DATE_PCAFCT_SCRN_COMPLT.QUARTER_DSC		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Medical Insurance	Railroad Retirement Flag	2	If a Railroad Retirement ID is provided, set the flag to 'Y' otherwise set the flag to 'N'.	FS_PCA_DIM_MEDICAL_INSURANCE.RAILROAD_RETIREMENT_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
Personal Care Medical Insurance	Railroad Retirement ID	2	Railroad Retirement Identifier is the number that identifies the consumer's Railroad Retirement insurance.	FS_PCA_DIM_MEDICAL_INSURANCE.RAILROAD_RETIREMENT_ID		FS_PCA_DIM_MEDICAL_INSURANCE	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Other Program	Range of Motion Daily Frequency Code	2	Range of Motion Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Range of Motion related Medically Oriented Task.	PCA_DIM_MOT_RANGE_MOTION_DFREQ.MOT_DAILY_FR EQ_CD		PCA_DIM_MOT_RANGE_MOT ION_DFREQ	1
Other Program	Range of Motion Daily Frequency Description	2	Range of Motion Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Range of Motion related Medically Oriented Task.	PCA_DIM_MOT_RANGE_MOTION_DFREQ.MOT_DAILY_FR EQ		PCA_DIM_MOT_RANGE_MOT ION_DFREQ	1
Other Program	Range of Motion Flag	2	Range of Motion Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Range of Motion (ordered by a physician, but not part of a prescribed therapy program) Transform Rules: Set the RANGE_OF_MOTION_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD in ('004') and DGNS_SUB_GRP_CD = 'OTHPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.RANGE_OF_MOT ION_FLAG		LTC_DW.FS_PCA_DIM_MEDI CAL_TASK2	1
Other Program	Range of Motion Weekly Frequency Code	2	Range of Motion Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Range of Motion related Medically Oriented Task.	PCA_DIM_MOT_RANGE_MOTION_WFREQ.MOT_WEEKLY_ FREQ_CD		PCA_DIM_MOT_RANGE_MOT ION_WFREQ	1
Other Program	Range of Motion Weekly Frequency Description	2	Range of Motion Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Range of Motion related Medically Oriented Task.	PCA_DIM_MOT_RANGE_MOTION_WFREQ.MOT_WEEKLY_ FREQ		PCA_DIM_MOT_RANGE_MOT ION_WFREQ	1
Respiratory Assistance	Respiratory Chest Physiotherapy Daily Frequency Code	2	Respiratory Chest Physiotherapy Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Chest Physiotherapy related Medically Oriented Task.	PCA_DIM_MOT_RESP_CHEST_DFREQ.MOT_DAILY_FREQ _CD		PCA_DIM_MOT_RESP_CHES T_DFREQ	1
Respiratory Assistance	Respiratory Chest Physiotherapy Daily Frequency Description	2	Respiratory Chest Physiotherapy Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Chest Physiotherapy related Medically Oriented Task.	PCA_DIM_MOT_RESP_CHEST_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_RESP_CHES T_DFREQ	1
Respiratory Assistance	Respiratory Chest Physiotherapy Flag	2	Respiratory Chest Physiotherapy Therapy Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Respiratory Assistance: Chest Physical Therapy (CPT). Transform Rules: Set the RESP_CHEST_PHYS_THERAPY_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '003' and DGNS_SUB_GRP_CD = 'RESAST'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.RESP_CHEST_P HYS_THERAPY_FLAG		LTC_DW.FS_PCA_DIM_MEDI CAL_TASK2	1
Respiratory Assistance	Respiratory Chest Physiotherapy Weekly Frequency Code	2	Respiratory Chest Physiotherapy Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Chest Physiotherapy related Medically Oriented Task.	PCA_DIM_MOT_RESP_CHEST_WFREQ.MOT_WEEKLY_FR EQ_CD		PCA_DIM_MOT_RESP_CHES T_WFREQ	1
Respiratory Assistance	Respiratory Chest Physiotherapy Weekly Frequency Description	2	Respiratory Chest Physiotherapy Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Chest Physiotherapy related Medically Oriented Task.	PCA_DIM_MOT_RESP_CHEST_WFREQ.MOT_WEEKLY_FR EQ		PCA_DIM_MOT_RESP_CHES T_WFREQ	1
Respiratory Assistance	Respiratory Nebulizer Daily Frequency Code	2	Respiratory Nebulizer Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Nebulizer related Medically Oriented Task.	FS_PCA_DIM_MOT_RESP_NEB_DFREQ.MOT_DAILY_FRE Q_CD		FS_PCA_DIM_MOT_RESP_N EB_DFREQ	1
Respiratory Assistance	Respiratory Nebulizer Daily Frequency Description	2	Respiratory Nebulizer Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Nebulizer related Medically Oriented Task.	FS_PCA_DIM_MOT_RESP_NEB_DFREQ.MOT_DAILY_FRE Q		FS_PCA_DIM_MOT_RESP_N EB_DFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Respiratory Assistance	Respiratory Nebulizer Flag	2	Respiratory Nebulizer Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Respiratory Assistance: Nebulizer. <input type="checkbox"/>  Transform Rules: Set the RESP_NEBULIZER_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '004' and DGNS_SUB_GRP_CD = 'RESAST'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.RESP_NEBULIZER_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Respiratory Assistance	Respiratory Nebulizer Weekly Frequency Code	2	Respiratory Nebulizer Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Nebulizer related Medically Oriented Task.	PCA_DIM_MOT_RESP_NEB_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_RESP_NEB_WFREQ	1
Respiratory Assistance	Respiratory Nebulizer Weekly Frequency Description	2	Respiratory Nebulizer Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Nebulizer related Medically Oriented Task.	PCA_DIM_MOT_RESP_NEB_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_RESP_NEB_WFREQ	1
Respiratory Assistance	Respiratory Suctioning Daily Frequency Code	2	Respiratory Suctioning Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Suctioning related Medically Oriented Task.	PCA_DIM_MOT_RESP_SUCTION_DFREQ.MOT_DAILY_FREQ_CD		PCA_DIM_MOT_RESP_SUCTION_DFREQ	1
Respiratory Assistance	Respiratory Suctioning Daily Frequency Description	2	Respiratory Suctioning Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Suctioning related Medically Oriented Task.	PCA_DIM_MOT_RESP_SUCTION_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_RESP_SUCTION_DFREQ	1
Respiratory Assistance	Respiratory Suctioning Flag	2	Respiratory Suctioning Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Respiratory Assistance: Suctioning. <input type="checkbox"/>  Transform Rules: Set the RESP_SUCTIONING_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '002' and DGNS_SUB_GRP_CD = 'RESAST'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.RESP_SUCTIONING_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Respiratory Assistance	Respiratory Suctioning Weekly Frequency Code	2	Respiratory Suctioning Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Suctioning related Medically Oriented Task.	PCA_DIM_MOT_RESP_SUCTION_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_RESP_SUCTION_WFREQ	1
Respiratory Assistance	Respiratory Suctioning Weekly Frequency Description	2	Respiratory Suctioning Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Suctioning related Medically Oriented Task.	PCA_DIM_MOT_RESP_SUCTION_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_RESP_SUCTION_WFREQ	1
Respiratory Assistance	Respiratory Tracheostomy Care Flag	2	Respiratory Tracheostomy Care Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Respiratory Assistance: Tracheostomy Care. <input type="checkbox"/>  Transform Rules: Set the RESP_TRACHEOSTOMY_CARE_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '001' and DGNS_SUB_GRP_CD = 'RESAST'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.RESP_TRACHEOSTOMY_CARE_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Respiratory Assistance	Respiratory Tracheostomy Daily Frequency Code	2	Respiratory Tracheostomy Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Tracheostomy related Medically Oriented Task.	PCA_DIM_MOT_RESP_TRACH_DFREQ.MOT_DAILY_FREQ_CD		PCA_DIM_MOT_RESP_TRACH_DFREQ	1
Respiratory Assistance	Respiratory Tracheostomy Daily Frequency Description	2	Respiratory Tracheostomy Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Respiratory Tracheostomy related Medically Oriented Task.	PCA_DIM_MOT_RESP_TRACH_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_RESP_TRACH_DFREQ	1
Respiratory Assistance	Respiratory Tracheostomy Weekly Frequency Code	2	Respiratory Tracheostomy Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Tracheostomy related Medically Oriented Task.	PCA_DIM_MOT_RESP_TRACH_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_RESP_TRACH_WFREQ	1
Respiratory Assistance	Respiratory Tracheostomy Weekly Frequency Description	2	Respiratory Tracheostomy Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Respiratory Tracheostomy related Medically Oriented Task.	PCA_DIM_MOT_RESP_TRACH_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_RESP_TRACH_WFREQ	1
FSIA PCA Load Information	Rows Inserted	1	The number of rows inserted during the load.	LTC_DW.LOAD_STATS.NUM_ROWS		LTC_DW.LOAD_STATS	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Screen Completion Date	Same Day Year Ago	3	Date representing the corresponding date last year presented in this format.	DIM_DATE_PCAFCT_SCRN_COMPLT.SAME_DAY_YEAR_AGO		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Same Weekday Year Ago	3	Date representing the corresponding date last year presented in this format.	DIM_DATE_PCAFCT_ELIG_CALC.SAME_DAY_YEAR_AGO		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Same Weekday Year Ago	3	Date representing the corresponding date last year presented in this format.	DIM_DATE_PCAFCT_EVENT.SAME_DAY_YEAR_AGO		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Same Weekday Year Ago	3	Date representing the corresponding date last year presented in this format.	DIM_DATE_PCAFCT_FIRST_ELIG.SAME_DAY_YEAR_AGO		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Scheduled Activity	Scheduled Activity Outside Residence Flag	2	Scheduled Activities Outside Of Residence Flag - Indicates a "Y" if the recipient attends a scheduled activity outside of the residence and an "N" if they do not.	LTC_DW.FS_PCA_DIM_SCHD_ACTIVITY.SCHD_ACTV_O_TSD_RES_FLAG		LTC_DW.FS_PCA_DIM_SCHD_ACTIVITY	1
Personal Care Scheduled Activity	Scheduled Activity Outside Residence Weekly Frequency Code	2	Scheduled Activities Outside Of Residence Days Week Code - Specifies the number of days per week the recipient attends a scheduled activity outside of the residence.	LTC_DW.FS_PCA_DIM_SCHD_ACTIVITY.SCHD_ACTV_O_TSD_RES_DY_WK_CD		LTC_DW.FS_PCA_DIM_SCHD_ACTIVITY	1
Personal Care Scheduled Activity	Scheduled Activity Outside Residence Weekly Frequency Description	2	Scheduled Activities Outside Of Residence Days / Week Frequency - Specifies the number of days per week the recipient attends a scheduled activity outside of the residence.	LTC_DW.FS_PCA_DIM_SCHD_ACTIVITY.SCHEDULED_ACTIVITY_FREQ		LTC_DW.FS_PCA_DIM_SCHD_ACTIVITY	1
Personal Care Eligibility Calculated Date	School Summer Description	2	Describes if a date falls within the School Year (September-May) or Summer Break (June-August).	DIM_DATE_PCAFCT_ELIG_CALC.SCHOOL_SUMMER_DSC		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	School Summer Description	2	Describes if a date falls within the School Year (September-May) or Summer Break (June-August).	DIM_DATE_PCAFCT_EVENT.SCHOOL_SUMMER_DSC		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	School Summer Description	2	Describes if a date falls within the School Year (September-May) or Summer Break (June-August).	DIM_DATE_PCAFCT_FIRST_ELIG.SCHOOL_SUMMER_DSC		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	School Summer Description	2	Describes if a date falls within the School Year (September-May) or Summer Break (June-August).	DIM_DATE_PCAFCT_SCRN_COMPLT.SCHOOL_SUMMER_DSC		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Screen Type Information	Screen Class Abbreviation	2	Screen Class Abbreviation is an abbreviated description field which indicates which class "type" of screen is being performed. For this universe the abbreviation will always equal PCA for the Adult Personal Care Functional Screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_CLASS_ABBREVIATION		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Class Code	2	Screen Class Code is the code field which indicates which class "type" of screen is being performed. For this universe the code will always equal PCA for the Adult Personal Care Functional Screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_CLASS_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Class Long Description	2	Screen Class Long Description is the formal title/description field which indicates which class "type" of screen is being performed. For this universe the long description will always equal Adult Personal Care Functional Screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_CLASS_LONG_DESC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Class Short Description	2	Screen Class Short Description is an abbreviated description field which indicates which class "type" of screen is being performed. For this universe the short description will always equal Personal Care for the Adult Personal Care Functional Screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_CLASS_SHORT_DESC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Completion Date	Screen Completion Full Date	3	Screen Completion Date is the month, day and year on which the applicant's screen was completed. Date presented in this format: M/D/YYYY.	DIM_DATE_PCAFCT_SCRN_COMPLT.FULL_DATE		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Screen Completion Date	Screen Completion Month Name	2	Description of the calendar month number. E.g. January = 1.	DIM_DATE_PCAFCT_SCRN_COMPLT.MONTH_NAME		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Screen Completion Date	Screen Completion Quarter Number	1	Number representing the calendar quarter. Values are 1-4.	DIM_DATE_PCAFCT_SCRN_COMPLT.QUARTER_NUM		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Screen Completion Date	Screen Completion Year	2	Number representing the calendar year.	DIM_DATE_PCAFCT_SCRN_COMPLT.YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Screen Type Information	Screen Location Code	2	Screen location code indicates the location where the adult personal care screen physically took place.	FS_PCA_DIM_SCREEN_INFO.SCREEN_LOCATION_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Location Description	2	Screen location description indicates the location where the adult personal care screen physically took place.	FS_PCA_DIM_SCREEN_INFO.SCREEN_LOCATION_DSC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Information	Screen Order	2	Screen Order is an indicator to track previous screens for the same applicant.	LTC_DW.FS_PCA_FACT_SCREEN.SCREEN_ORDER		LTC_DW.FS_PCA_FACT_SCREEN	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Screen Type Information	Screen Primary Source Code	2	Screen Primary Source Code is the primary source for screen information as reported in the Screen Information section of the Adult Personal Care functional screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_SOURCE_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Primary Source Description	2	Screen Primary Source Description is a description of the primary source for adult personal care screen information.	FS_PCA_DIM_SCREEN_INFO.SCREEN_SOURCE_DSC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Referral Source Code	2	Screen referral source code is the three digit code specifying who or what program/service is requesting the personal care adult screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_REFERRAL_SOURCE_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Referral Source Description	2	Screen referral source short description is a short description specifying who or what program/service is requesting the adult personal care screen.	FS_PCA_DIM_SCREEN_INFO.SCREEN_REFERRAL_SOURCE_DSC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Status Code	2	Screen Status Code is a code that describes the status of the applicant's functional screen. Valid values are 'Active' and 'Archived'.	FS_PCA_DIM_SCREEN_INFO.SCREEN_STATUS_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Status Description	2	Screen Status Description is a description that describes the status of the applicant's functional screen. Valid values are 'Active' and 'Archived'.	FS_PCA_DIM_SCREEN_INFO.SCREEN_STATUS_DSC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Type Code	2	Code indicating type of screen being performed. The screen type choices are: Initial, Annual, and Change in Condition.	FS_PCA_DIM_SCREEN_INFO.SCREEN_TYPE_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Type Information	Screen Type Description	2	Description of Code indicating type of screen being performed. The screen type choices are: Initial, Annual, and Change in Condition.	FS_PCA_DIM_SCREEN_INFO.SCREEN_TYPE_DSC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screen Information	Screen Version	2	Version Order is the sequential order in which a particular existing historical screen was modified.	LTC_DW.FS_PCA_FACT_SCREEN.SCREEN_VERSION		LTC_DW.FS_PCA_FACT_SCREEN	1
Personal Care Screener Information	Screener First Name	2	Authorized Screener's first name.	FS_PCA_DIM_SCREENER.SCREENER_FIRST_NAME		FS_PCA_DIM_SCREENER	1
Personal Care Screener Information	Screener ID	1	System assigned screener id number used to track screeners in the FSIA application.	FS_PCA_DIM_SCREENER.SCREENER_ID		FS_PCA_DIM_SCREENER	1
Personal Care Screener Information	Screener Last Name	2	Authorized Screener's last name.	FS_PCA_DIM_SCREENER.SCREENER_LAST_NAME		FS_PCA_DIM_SCREENER	1
Personal Care Screener Information	Screener Middle Initial	2	Authorized Screener's middle initial.	FS_PCA_DIM_SCREENER.SCREENER_MID_INITIAL		FS_PCA_DIM_SCREENER	1
Personal Care Screener Information	Screener Qualification Code	2	Code used in the Personal Care for Adults screen indicating whether the person conducting the screen is a "Registered Nurse", a "Certified Adult LTC Functional Screener", or an "Other" qualified screener not listed on the form.	FS_PCA_DIM_SCREEN_INFO.SCREENER_QUALIFICATION_CD		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screener Information	Screener Qualification Description	2	Description used in the Personal Care for Adults screen indicating whether the person conducting the screen is a "Registered Nurse", a "Certified Adult LTC Functional Screener", or an "Other" qualified screener not listed on the form.	FS_PCA_DIM_SCREEN_INFO.SCREENER_QUALIFICATION_DSC		FS_PCA_DIM_SCREEN_INFO	1
Personal Care Screening Agency	Screening Agency Contact Person	2	Agency Contact Person listed at agency level for functional screen.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_CONTACT_PERSON, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Screening Agency Delete Flag	2	Logical delete flag in agency table of functional screen application. Most similar to an active indicator. Specific only to functional screen agencies.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_DELETE_FLAG, 'U')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Screening Agency Display Name	2	This is the agency display name associated with the FSIA_AGENCY_ID in the functional screen application.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_DISPLAY_NAME, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Screening Agency Fax Number	2	Fax number for functional screen agency provided.	Nvl((Case When length(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM) = 10 Then '('    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM,1,3)    ')'    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM,4,3)    '-'    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM,7,4) When length(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM) = 7 Then '('    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM,1,3)    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM,4,4) Else DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_FAX_NUM End), 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Screening Agency ID	2	This is the surrogate key generated by the FSIA application when a new agency is created. The LTC_AGCY_GRP table contains all screen agencies set up in the screening application.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_ID, 'NR')		DIM_PROVIDER_PCA_AGENCY	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Screening Agency	Screening Agency Name	2	This is the agency name associated with the FSIA_AGENCY_ID in the functional screen application.	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_NAME, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Screening Agency Phone Number	2	Phone number for functional screen agency provided by screen application.	Nvl((Case When length(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM) = 10 Then '('    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM,1,3)    ')'    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM,4,3)    '-'    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM,7,4)    When length(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM) = 7 Then '('    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM,1,3)    substr(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM,4,4)    Else DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_PHONE_NUM    End), 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Screening Agency	Screening Agency Type	2	Description of an association describing the type of agency performing functional screens as provided by the functional screen source. Sample values: ('Resource Center', 'CMO', 'TMG Agency', 'Katie Beckett', 'CSP')	Nvl(DIM_PROVIDER_PCA_AGENCY.FSIA_AGENCY_TYPE_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Eligibility Calculated Date	Season	2	Describes whether a date falls within the Spring (March 20-June 20), Summer (June 21-September 22), Fall (September 23-December 21), or Winter (December 22-December 31, January 1-March 19). 	DIM_DATE_PCAFCT_ELIG_CALC.SEASON		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Season	2	Describes whether a date falls within the Spring (March 20-June 20), Summer (June 21-September 22), Fall (September 23-December 21), or Winter (December 22-December 31, January 1-March 19). 	DIM_DATE_PCAFCT_EVENT.SEASON		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Season	2	Describes whether a date falls within the Spring (March 20-June 20), Summer (June 21-September 22), Fall (September 23-December 21), or Winter (December 22-December 31, January 1-March 19). 	DIM_DATE_PCAFCT_FIRST_ELIG.SEASON		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Season	2	Describes whether a date falls within the Spring (March 20-June 20), Summer (June 21-September 22), Fall (September 23-December 21), or Winter (December 22-December 31, January 1-March 19). 	DIM_DATE_PCAFCT_SCRN_COMPLT.SEASON		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Worker Factor	Seizure Frequency	2	Seizure Frequency describes the frequencies that the applicant is experiencing seizures. 	LTC_DW.FS_PCA_FACT_SCREEN_SUB.PCW_SEIZURE_FREQ_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care Worker Factor	Seizure History Flag	2	Seizure History Flag - Indicates a "Y" if the applicant has a history of seizures and an "N" if applicant does not have a history of seizures.	LTC_DW.FS_PCA_DIM_PC_WORKER.SEIZURE_HISTORY_FLAG		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Worker Factor	Seizure History Period Code	2	Seizure History Period Code - Specifies the period in which the applicant's last seizure(s) occurred.	LTC_DW.FS_PCA_DIM_PC_WORKER.SEIZURE_HISTORY_PERIOD_CD		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Worker Factor	Seizure History Period Description	2	Seizure History Period Description - Specifies the period in which the applicant's last seizure(s) occurred.	LTC_DW.FS_PCA_DIM_PC_WORKER.SEIZURE_HISTORY_PERIOD_DSC		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Worker Factor	Seizure History Type	2	Seizure History Type describes the type of seizures that the applicant is experiencing and also stores date of last seizure.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.PCW_SEIZURE_HISTORY_TYPE_TEXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care Worker Factor	Seizure PCW Intervention Flag	2	Seizure Personal Care Worker Intervention Flag - Indicates a "Y" if the personal care worker provides seizure interventions and "N" if they don't.	LTC_DW.FS_PCA_DIM_PC_WORKER.SEIZURE_PCW_INTERVENTION_FLAG		LTC_DW.FS_PCA_DIM_PC_WORKER	1
Personal Care Worker Factor	Seizure PCW Intervention List	2	Seizure PCW Intervention List describes the PCW interventions and describes how they interfere with the ability to complete personal care.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.PCW_SEIZURE_INTERVENTION_LIST		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	Sex Code	2	<p>Store the value in the field GNDR_CD from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.GNDR_CD).</p> <p>Transform the codes stored in the LTC_APPL_EVTNT.GNDR_CD field using the following rules:</p> <p><input type="checkbox"/> Code 001 becomes M</p> <p><input type="checkbox"/> Code 002 becomes F</p> <p><input type="checkbox"/> Empty Value becomes U</p> <p><input type="checkbox"/> Gender code is the identification of the sex of the applicant who is being screened.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.SEX_CODE, 'U')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Applicant Information	Sex Description	2	<p>Store the value in the field GNDR_CD from the FSIA table LTC_APPL_EVTNT (LTC_APPL_EVTNT.GNDR_CD).</p> <p>Transform the codes stored in the LTC_APPL_EVTNT.GNDR_CD field using the following rules: <input type="checkbox"/></p> <p><input type="checkbox"/> Code 001 becomes "Male"</p> <p><input type="checkbox"/> Code 002 becomes "Female"</p> <p><input type="checkbox"/> Empty value becomes "Unknown/Not Reported"</p> <p><input type="checkbox"/> Gender Description is the identification of the sex of the person who is being screened.</p>	Nvl(DIM_PERSON_PCA_RECIPIENT.SEX_DSC, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Medically Oriented Task Part II	Skin Care Daily Frequency Code	2	Skin Care Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Skin Care related Medically Oriented Task. <input type="checkbox"/>	FS_PCA_DIM_MOT_SKIN_CARE_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_SKIN_CARE_DFREQ	1
Medically Oriented Task Part II	Skin Care Daily Frequency Description	2	Skin Care Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Skin Care related Medically Oriented Task. <input type="checkbox"/>	FS_PCA_DIM_MOT_SKIN_CARE_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_SKIN_CARE_DFREQ	1
Medically Oriented Task Part II	Skin Care Flag	2	<p>Skin Care Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: skin care (application of prescription ointments only).</p> <p><input type="checkbox"/></p> <p>Transform Rules: Set the SKIN_CARE_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC1' and DGNS_CD = '003' and DGNS_SUB_GRP_CD = 'MOTPC1'. If no record is found, set the flag to 'N'.</p>	LTC_DW.FS_PCA_DIM_MEDICAL_TASK1.SKIN_CARE_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK1	1
Medically Oriented Task Part II	Skin Care Prescribed Medication Frequency	2	This field stores the frequency of the prescribed skin care medication (Application of prescription ointments).	LTC_DW.FS_PCA_FACT_SCREEN_SUB.SKIN_CARE_MEDICATION_FREQ_TXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Medically Oriented Task Part II	Skin Care Prescribed Medication Name	2	This field holds the name of the skin care prescription medication.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.SKIN_CARE_MEDICATION_TXT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Medically Oriented Task Part II	Skin Care Weekly Frequency Code	2	Skin Care Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Skin Care related Medically Oriented Task.	PCA_DIM_MOT_SKIN_CARE_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_SKIN_CARE_WFREQ	1
Medically Oriented Task Part II	Skin Care Weekly Frequency Description	2	Skin Care Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Skin Care related Medically Oriented Task. <input type="checkbox"/>	PCA_DIM_MOT_SKIN_CARE_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_SKIN_CARE_WFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	Social Security Number	2	Store the value in the field SS_NUM from the FSIA table LTC_APPL_EVTN (LTC_APPL_EVTN.SS_NUM). Social Security Number is the 9-digit social security number of the applicant who is being screened.	NVL(Case when length(DIM_PERSON_PCA_RECIPIENT.SOCIAL_SECURITY_NUM) = '9' then  (SUBSTR(DIM_PERSON_PCA_RECIPIENT.SOCIAL_SECURITY_NUM,1,3)    '-'    SUBSTR(DIM_PERSON_PCA_RECIPIENT.SOCIAL_SECURITY_NUM,4,2)    '-'    SUBSTR(DIM_PERSON_PCA_RECIPIENT.SOCIAL_SECURITY_NUM,6,4)) Else DIM_PERSON_PCA_RECIPIENT.SOCIAL_SECURITY_NUM End, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Eligibility Calculated Date	Spring Allergy Season Flag	2	Describes if a date falls within the Spring Allergy Season (March 1 - June 15). □	DIM_DATE_PCAFCT_ELIG.CALC.SPRING_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Spring Allergy Season Flag	2	Describes if a date falls within the Spring Allergy Season (March 1 - June 15). □	DIM_DATE_PCAFCT_EVENT.SPRING_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Spring Allergy Season Flag	2	Describes if a date falls within the Spring Allergy Season (March 1 - June 15). □	DIM_DATE_PCAFCT_FIRST_ELIG.SPRING_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Spring Allergy Season Flag	2	Describes if a date falls within the Spring Allergy Season (March 1 - June 15). □	DIM_DATE_PCAFCT_SCRN_COMPLT.SPRING_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Medical Insurance	SSI Benefit Flag	2	Supplemental Security Income Benefits Flag is a Boolean flag that is "Y" if the applicant is receiving Supplemental Security Income Benefits otherwise its "N".	FS_PCA_DIM_MEDICAL_INSURANCE.SSI_BENEFIT_FLAG		FS_PCA_DIM_MEDICAL_INSURANCE	1
FSIA PCA Load Information	Start Time	2	The time stamp for the date and time the execution of the load job began.	LTC_DW.LOAD_STATS.START_TIME		LTC_DW.LOAD_STATS	1
Personal Care Contact Information 1	State (Contact 1)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD). Compare the data to the FIPS State Alpha code, if the code exists, populate with the FIPS state name. If the code does not exist in the FIPS State Alpha code list, leave empty.□ □ FIPS Site: <a href="http://www.itl.nist.gov/fipspubs/fip5-2.htm">http://www.itl.nist.gov/fipspubs/fip5-2.htm</a> □	NVL(DIM_PERSON_CONTACT_APC1.STATE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	State (Contact 2)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD). Compare the data to the FIPS State Alpha code, if the code exists, populate with the FIPS state name. If the code does not exist in the FIPS State Alpha code list, leave empty.□	NVL(DIM_PERSON_CONTACT_APC2.STATE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	State (Contact 3)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD). Compare the data to the FIPS State Alpha code, if the code exists, populate with the FIPS state name. If the code does not exist in the FIPS State Alpha code list, leave empty.□	NVL(DIM_PERSON_CONTACT_APC3.STATE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	State (Contact 4)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD). Compare the data to the FIPS State Alpha code, if the code exists, populate with the FIPS state name. If the code does not exist in the FIPS State Alpha code list, leave empty.□	NVL(DIM_PERSON_CONTACT_APC4.STATE_NAME, 'Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Applicant Information	State Alpha Code	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD). State Alpha Code is the alpha code of the territory in which the person resides.	Nvl(DIM_PERSON_PCA_RECIPIENT.STATE_ALPHA_CODE, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	State Alpha Code (Contact 1)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD).	NVL(DIM_PERSON_CONTACT_APC1.STATE_ALPHA_CODE, 'NR')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	State Alpha Code (Contact 2)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD).	NVL(DIM_PERSON_CONTACT_APC2.STATE_ALPHA_CODE, 'NR')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	State Alpha Code (Contact 3)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD).	NVL(DIM_PERSON_CONTACT_APC3.STATE_ALPHA_CODE, 'NR')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	State Alpha Code (Contact 4)	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVTN (LTC_ADR_EVTN.ST_CD).	NVL(DIM_PERSON_CONTACT_APC4.STATE_ALPHA_CODE, 'NR')		DIM_PERSON_CONTACT_APC4	1
Personal Care Eligibility Calculated Date	State Budget Biennium	2	Describes the state budget biennium years a date falls within. Bienniums are for two year periods beginning July 1 and ending June 30th. Example biennium values would be: Year 2006 = 2005-2007.□	DIM_DATE_PCAFCT_ELIG.CALC.STATE_BUDGET_BIENNIUM		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	State Budget Biennium	2	Describes the state budget biennium years a date falls within. Bienniums are for two year periods beginning July 1 and ending June 30th. Example biennium values would be: Year 2006 = 2005-2007.□	DIM_DATE_PCAFCT_EVENT.STATE_BUDGET_BIENNIUM		DIM_DATE_PCAFCT_EVENT	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care First Eligibility Calculated Date	State Budget Biennium	2	Describes the state budget biennium years a date falls within. Bienniums are for two year periods beginning July 1 and ending June 30th. Example biennium values would be: Year 2006 = 2005-2007.□	DIM_DATE_PCAFCT_FIRST_ELIG.STATE_BUDGET_BIENNIUM		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	State Budget Biennium	2	Describes the state budget biennium years a date falls within. Bienniums are for two year periods beginning July 1 and ending June 30th. Example biennium values would be: Year 2006 = 2005-2007.□	DIM_DATE_PCAFCT_SCRN_COMPLT.STATE_BUDGET_BIENNIUM		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	State Fiscal Date Range	2	Date range encompassing the State Fiscal Year for a selected date.	DIM_DATE_PCAFCT_ELIG_CALC.STATE_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	State Fiscal Date Range	2	Date range encompassing the State Fiscal Year for a selected date.	DIM_DATE_PCAFCT_EVENT.STATE_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	State Fiscal Date Range	2	Date range encompassing the State Fiscal Year for a selected date.	DIM_DATE_PCAFCT_FIRST_ELIG.STATE_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	State Fiscal Date Range	2	Date range encompassing the State Fiscal Year for a selected date.	DIM_DATE_PCAFCT_SCRN_COMPLT.STATE_FISCAL_DATE_RANGE		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	State Fiscal Month Number	1	Number representing the state fiscal month. The SFY runs July-June.	DIM_DATE_PCAFCT_ELIG_CALC.STATE_FISCAL_MONTH_NUMBER		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	State Fiscal Month Number	1	Number representing the state fiscal month. The SFY runs July-June.	DIM_DATE_PCAFCT_EVENT.STATE_FISCAL_MONTH_NUMBER		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	State Fiscal Month Number	1	Number representing the state fiscal month. The SFY runs July-June.	DIM_DATE_PCAFCT_FIRST_ELIG.STATE_FISCAL_MONTH_NUMBER		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	State Fiscal Month Number	1	Number representing the state fiscal month. The SFY runs July-June.	DIM_DATE_PCAFCT_SCRN_COMPLT.STATE_FISCAL_MONTH_NUMBER		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	State Fiscal Quarter Description	2	Description of the state fiscal quarter number. The SFY runs July-June.	DIM_DATE_PCAFCT_ELIG_CALC.STATE_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	State Fiscal Quarter Description	2	Description of the state fiscal quarter number. The SFY runs July-June.	DIM_DATE_PCAFCT_EVENT.STATE_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	State Fiscal Quarter Description	2	Description of the state fiscal quarter number. The SFY runs July-June.	DIM_DATE_PCAFCT_FIRST_ELIG.STATE_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	State Fiscal Quarter Description	2	Description of the state fiscal quarter number. The SFY runs July-June.	DIM_DATE_PCAFCT_SCRN_COMPLT.STATE_FISCAL_QUARTER_DSC		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	State Fiscal Quarter Number	1	Number representing the state fiscal quarter. The SFY runs July-June.	DIM_DATE_PCAFCT_ELIG_CALC.STATE_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	State Fiscal Quarter Number	1	Number representing the state fiscal quarter. The SFY runs July-June.	DIM_DATE_PCAFCT_EVENT.STATE_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	State Fiscal Quarter Number	1	Number representing the state fiscal quarter. The SFY runs July-June.	DIM_DATE_PCAFCT_FIRST_ELIG.STATE_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	State Fiscal Quarter Number	1	Number representing the state fiscal quarter. The SFY runs July-June.	DIM_DATE_PCAFCT_SCRN_COMPLT.STATE_FISCAL_QUARTER_NUM		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	State Fiscal Year	1	Number representing the state fiscal year. The SFY runs July-June. Ex. Year 2006 = 7/1/05 to 6/30/06.□	DIM_DATE_PCAFCT_ELIG_CALC.STATE_FISCAL_YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	State Fiscal Year	1	Number representing the state fiscal year. The SFY runs July-June. Ex. Year 2006 = 7/1/05 to 6/30/06.□	DIM_DATE_PCAFCT_EVENT.STATE_FISCAL_YEAR		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	State Fiscal Year	1	Number representing the state fiscal year. The SFY runs July-June. Ex. Year 2006 = 7/1/05 to 6/30/06.□	DIM_DATE_PCAFCT_FIRST_ELIG.STATE_FISCAL_YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	State Fiscal Year	1	Number representing the state fiscal year. The SFY runs July-June. Ex. Year 2006 = 7/1/05 to 6/30/06.□	DIM_DATE_PCAFCT_SCRN_COMPLT.STATE_FISCAL_YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Applicant Information	State Name	2	Store the value in the field ST_CD from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.ST_CD).□ Compare the data to the FIPS State Alpha code, if the code exists, populate with the FIPS state name. If the code does not exist in the FIPS State Alpha code list, leave empty.□ State Name is the description of the territory in which the person resides.	Nvl(DIM_PERSON_PCA_RECIPIENT.STATE_NAME, 'Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
FSIA PCA Load Information	Status Capture Date	3	Date the load status was updated for a load.	LTC_DW_LOAD_STATS.STATE_CAPTURE_DATE		LTC_DW_LOAD_STATS	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Applicant Information	Street Address 1	2	First line of the physical street address recorded for applicant.  Store the value in the field L1_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L1_ADR).	Nvl(DIM_PERSON_PCA_RECIPIENT.STREET_ADDRESS_1, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Street Address 1 (Contact 1)	2	First line of the physical street address recorded for person.  Store the value in the field L1_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L1_ADR).	NVL(DIM_PERSON_CONTACT_APC1.STREET_ADDRESS_1, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Street Address 1 (Contact 2)	2	First line of the physical street address recorded for person.  Store the value in the field L1_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L1_ADR).	NVL(DIM_PERSON_CONTACT_APC2.STREET_ADDRESS_1, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Street Address 1 (Contact 3)	2	First line of the physical street address recorded for person.  Store the value in the field L1_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L1_ADR).	NVL(DIM_PERSON_CONTACT_APC3.STREET_ADDRESS_1, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Street Address 1 (Contact 4)	2	First line of the physical street address recorded for person.  Store the value in the field L1_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L1_ADR).	NVL(DIM_PERSON_CONTACT_APC4.STREET_ADDRESS_1, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Applicant Information	Street Address 2	2	Second Line of the physical street address stored for applicant. Store the value in the field L2_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L2_ADR)	Nvl(DIM_PERSON_PCA_RECIPIENT.STREET_ADDRESS_2, 'Value Unknown / Not Reported')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Street Address 2 (Contact 1)	2	Second Line of the physical street address stored for person.  Store the value in the field L2_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L2_ADR)	NVL(DIM_PERSON_CONTACT_APC1.STREET_ADDRESS_2, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Street Address 2 (Contact 2)	2	Second Line of the physical street address stored for person.  Store the value in the field L2_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L2_ADR)	NVL(DIM_PERSON_CONTACT_APC2.STREET_ADDRESS_2, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Street Address 2 (Contact 3)	2	Second Line of the physical street address stored for person.  Store the value in the field L2_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L2_ADR)	NVL(DIM_PERSON_CONTACT_APC3.STREET_ADDRESS_2, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Street Address 2 (Contact 4)	2	Second Line of the physical street address stored for person.  Store the value in the field L2_ADR from the FSIA table LTC_ADR_EVTNT (LTC_ADR_EVTNT. L2_ADR)	NVL(DIM_PERSON_CONTACT_APC4.STREET_ADDRESS_2, 'Value Unknown / Not Reported')		DIM_PERSON_CONTACT_APC4	1
Personal Care Eligibility Agency	Submitter Organization Active Flag	2	Flag describing whether organization record is an active submitting org and is allowed to submit new encounter submissions. <input type="checkbox"/>  Transform rule: If the provider record loads from an encounter submitting organization record, store the value in the field {ACTIVE} from the encounter submission table LTC_ENC.DIM_ORGANIZATION (LTC_ENC.DIM_ORGANIZATION.ACTIVE).	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.SUBMITTER_ORG_ACTIVE_FLAG, 'U')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Submitter Organization Active Flag	2	Flag describing whether organization record is an active submitting org and is allowed to submit new encounter submissions. <input type="checkbox"/>  Transform rule: If the provider record loads from an encounter submitting organization record, store the value in the field {ACTIVE} from the encounter submission table LTC_ENC.DIM_ORGANIZATION (LTC_ENC.DIM_ORGANIZATION.ACTIVE).	Nvl(DIM_PROVIDER_PCA_AGENCY.SUBMITTER_ORG_ACTIVE_FLAG, 'U')		DIM_PROVIDER_PCA_AGENCY	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Agency	Submitter Organization ID	2	Organization ID specific to submitting organization by encounter record. This should not be a record that matches a Medicaid provider id.  □ Transformation rule: If the provider record loads from an encounter submitting organization record, store the value in the field (Organization ID) from the encounter submission table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID).	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.SUBMITTER_ORG_ID, 'NR')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Submitter Organization ID	2	Organization ID specific to submitting organization by encounter record. This should not be a record that matches a Medicaid provider id.  Transformation rule: If the provider record loads from an encounter submitting organization record, store the value in the field (Organization ID) from the encounter submission table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID).	Nvl(DIM_PROVIDER_PCA_AGENCY.SUBMITTER_ORG_ID, 'NR')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Eligibility Agency	Submitter Organization Name	2	Name associated with submitting organization id.□  Transformation rule: If the provider record loads from an encounter submitting organization record, transform the value in the {CMO_MA_ID} field from the encounter submission table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_ENC.DIM_ORGANIZATION table and store the value in the field {Provider Name}.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.SUBMITTER_ORG_NAME, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Submitter Organization Name	2	Name associated with submitting organization id.□  Transformation rule: If the provider record loads from an encounter submitting organization record, transform the value in the {CMO_MA_ID} field from the encounter submission table LTC_ENC.AA_CMO_SUBMISSION (LTC_ENC.AA_CMO_SUBMISSION.CMO_MA_ID) using the LTC_ENC.DIM_ORGANIZATION table and store the value in the field {Provider Name}.	Nvl(DIM_PROVIDER_PCA_AGENCY.SUBMITTER_ORG_NAME, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Eligibility Agency	Submitter Organization Program Code	2	Organization program code identifying whether the submitting org is part of the Family Care, Pace/Partnership, or SSI programs.  □ Transform rule: Specification: If the provider record loads from an encounter submitting organization record, store the value in the field {PROGRAM_CODE} from the encounter submission table LTC_ENC.DIM_ORGANIZATION (LTC_ENC.DIM_ORGANIZATION.PROGRAM_CODE).	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.SUBMITTER_ORG_PROGRAM_CODE, 'NR')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Submitter Organization Program Code	2	Organization program code identifying whether the submitting org is part of the Family Care, Pace/Partnership, or SSI programs.  □ Transform rule: Specification: If the provider record loads from an encounter submitting organization record, store the value in the field {PROGRAM_CODE} from the encounter submission table LTC_ENC.DIM_ORGANIZATION (LTC_ENC.DIM_ORGANIZATION.PROGRAM_CODE).	Nvl(DIM_PROVIDER_PCA_AGENCY.SUBMITTER_ORG_PROGRAM_CODE, 'NR')		DIM_PROVIDER_PCA_AGENCY	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Agency	Submitter Organization Program Description	2	Organization program code description identifying whether the submitting org is part of the Family Care, Pace/Partnership, or SSI programs.  Transform rule: Specification: Store the description from LTC_ENC.DIM_L_CODES_AND_DESC where CODE_TYPE=PROGRAM CODE that corresponds to the code in the DIM_PROVIDER_MASTER.SUBMITTER_ORG_PROGRAM_CODE field.	NVL(DIM_PROVIDER_PCA_ELIG_AGENCY.SUBMITTER_ORG_PROGRAM_DSC, 'Value Unknown / Not Reported')		PCA_DIM_MOT_RESP_NEB_WFREQ, DIM_PROVIDER_PCA_ELIG_AGENCY	1
Personal Care Screening Agency	Submitter Organization Program Description	2	Organization program code description identifying whether the submitting org is part of the Family Care, Pace/Partnership, or SSI programs.  Transform rule: Specification: Store the description from LTC_ENC.DIM_L_CODES_AND_DESC where CODE_TYPE=PROGRAM CODE that corresponds to the code in the DIM_PROVIDER_MASTER.SUBMITTER_ORG_PROGRAM_CODE field.	Nvl(DIM_PROVIDER_PCA_AGENCY.SUBMITTER_ORG_PROGRAM_DSC, 'Value Unknown / Not Reported')		DIM_PROVIDER_PCA_AGENCY	1
Personal Care Applicant Information	Suffix Name	2	Applicant suffix name, i.e. Jr.  Procedures will be written to parse out the suffix from the last name field when the suffix is provided with the last name. A space must exist between the last name and suffix to be able to do this.	Nvl(DIM_PERSON_PCA_RECIPIENT.PERSON_SUFFIX_NAME, 'NR')		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Suffix Name (Contact 1)	2	Person suffix name, i.e. Jr.  Procedures will be written to parse out the suffix from the last name field when the suffix is provided with the last name. A space must exist between the last name and suffix to be able to do this.	NVL(DIM_PERSON_CONTACT_APC1.PERSON_SUFFIX_NAME, 'NR')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Suffix Name (Contact 2)	2	Person suffix name, i.e. Jr.  Procedures will be written to parse out the suffix from the last name field when the suffix is provided with the last name. A space must exist between the last name and suffix to be able to do this.	NVL(DIM_PERSON_CONTACT_APC2.PERSON_SUFFIX_NAME, 'NR')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	Suffix Name (Contact 3)	2	Person suffix name, i.e. Jr.  Procedures will be written to parse out the suffix from the last name field when the suffix is provided with the last name. A space must exist between the last name and suffix to be able to do this.	NVL(DIM_PERSON_CONTACT_APC3.PERSON_SUFFIX_NAME, 'NR')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Suffix Name (Contact 4)	2	Person suffix name, i.e. Jr.  Procedures will be written to parse out the suffix from the last name field when the suffix is provided with the last name. A space must exist between the last name and suffix to be able to do this.	NVL(DIM_PERSON_CONTACT_APC4.PERSON_SUFFIX_NAME, 'NR')		DIM_PERSON_CONTACT_APC4	1
Personal Care Eligibility Calculated Date	Summer Allergy Season Flag	2	Describes if a date falls within the Summer Allergy Season (May 1 - July 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_ELIG_CALC.SUMMER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Summer Allergy Season Flag	2	Describes if a date falls within the Summer Allergy Season (May 1 - July 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_EVENT.SUMMER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Summer Allergy Season Flag	2	Describes if a date falls within the Summer Allergy Season (May 1 - July 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_FIRST_ELIG.SUMMER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Summer Allergy Season Flag	2	Describes if a date falls within the Summer Allergy Season (May 1 - July 31). <input type="checkbox"/>	DIM_DATE_PCAFCT_SCRN_COMPLT.SUMMER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Other Program	Therapy Program Daily Frequency Code	2	Therapy Program Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Therapy Program related Medically Oriented Task.	FS_PCA_DIM_MOT_THERAPY_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_THERAPY_DFREQ	1
Other Program	Therapy Program Daily Frequency Description	2	Therapy Program Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Therapy Program related Medically Oriented Task.	FS_PCA_DIM_MOT_THERAPY_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_THERAPY_DFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Other Program	Therapy Program Flag	2	Therapy Program Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Other Program: Therapy Program (Therapy Plan Prescribed By a PT, OT Or SLP With Last 12 Months - Including ROM).  Transform Rules: Set the THERAPY_PROGRAM_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '002' and DGNS_SUB_GRP_CD = 'OTHPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.THERAPY_PROGRAM_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Other Program	Therapy Program Weekly Frequency Code	2	Therapy Program Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Therapy Program related Medically Oriented Task.	PCA_DIM_MOT_THERAPY_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_THERAPY_WFREQ	1
Other Program	Therapy Program Weekly Frequency Description	2	Therapy Program Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Therapy Program related Medically Oriented Task.	PCA_DIM_MOT_THERAPY_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_THERAPY_WFREQ	1
Personal Care ADL Toileting	Toileting Age Appropriate Flag	2	Toileting Age Appropriate Flag - Indicates a "Y" if recipient is showing age appropriate toileting abilities for a child age 4 or less.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_AGE_APPROPRIATE_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Constant Presence Daily Frequency Description	2	Toileting Help Constant Presence Day Frequency - Specifies the number of times per day that the recipient requires constant presence of another person to ensure the completion of toileting or incontinence care.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_CONST_PRESENCE_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Comment	2	Toileting Help Comment provides the details on the help that the applicant requires for toileting.	LTC_DW.FS_PCA_FACT_SCREEN_SUB.ADL_TOILET_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care ADL Toileting	Toileting Help Constant Presence Daily Frequency Code	2	Toileting Help Constant Presence Day Code - Specifies the number of times per day that the recipient requires constant presence of another person to ensure the completion of toileting or incontinence care.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_CONSTANT_PRESENCE_DY_CD		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Constant Presence Flag	2	Toileting Help Constant Presence Flag - Indicates a "Y" if recipient requires the constant presence of another person to ensure the completion of toileting or incontinence care.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_CONSTANT_PRESENCE_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Independent Flag	2	Toileting Help Independent Flag - Indicates a "Y" if recipient is independent of toileting assistance and "N" if they are not.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_INDEPENDENT_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Ostomy Daily Frequency Code	2	Toileting Help Ostomy/Day Code - Specifies the number of times a day the recipient requires physical assistance to empty ostomy or catheter bag from the Personal Care worker.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_OSTOMY_DY_CD		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Ostomy Daily Frequency Description	2	Toileting Help Ostomy/Day Frequency - Specifies the number of times a day the recipient requires physical assistance to empty ostomy or catheter bag from the Personal Care worker.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_OSTOMY_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Ostomy Flag	2	Toileting Help Ostomy Flag - Indicates a "Y" if recipient requires physical help from another person to empty ostomy or catheter bag or "N" if they do not.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_OSTOMY_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Physical Daily Frequency Code	2	Toileting Help Physical/Day Code - Specifies the number of times per day that the recipient requires physical assistance in regard to toileting.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_PHYSICAL_DY_CD		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Physical Daily Frequency Description	2	Toileting Help Physical/Day Frequency - Specifies the number of times per day that the recipient requires physical assistance in regard to toileting.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_PHYSICAL_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Physical Flag	2	Toileting Help Physical Flag - Indicates a "Y" if recipient requires physical help from another person for toileting assistance and "N" if anything else.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_PHYSICAL_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Physical Incontinence Daily Frequency Code	2	Toileting Help Physical Incontinence/Day Code - Specifies the number of times a day the recipient requires physical incontinence assistance by the Personal Care Worker.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_INCONTINENCE_DY_CD		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Physical Incontinence Daily Frequency Description	2	Toileting Help Physical Incontinence/Day Frequency - Specifies the number of times a day the recipient requires physical incontinence assistance by the Personal Care Worker.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_INCONTINENCE_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TOILET	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care ADL Toileting	Toileting Help Physical Incontinence Flag	2	Toileting Help Physical Incontinence Flag - Indicated by a "Y" if recipient requires physical incontinence assistance and an "N" if they do not.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_INCONT_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Presence Flag	2	Toileting Help Presence Flag - Indicates a "Y" if recipient requires the presence of another person for toileting assistance and "N" if anything else.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_PRESENCE_FLAG		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Weekly Frequency Code	2	Toileting Help Days/Week Code - Specifies the number of days per week the agency will provide PCW assistance with toileting.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_DY_WEEK_CD		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Personal Care ADL Toileting	Toileting Help Weekly Frequency Description	2	Toileting Help Days/Week Frequency - Specifies the number of days per week the agency will provide PCW assistance with toileting.	LTC_DW.FS_PCA_DIM_ADL_TOILET.TOILET_HELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TOILET	1
Adult Personal Care Screen Measures	Total Annual Allocated Time Minutes	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in minutes, for a 53 week period. <input type="checkbox"/> This measure includes time for Activities of Daily Living and Medically Oriented Task (ADL/MOT) allocations, as well as any Pro Re Nata (PRN) allocations.	nv!(sum(LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_ANNUAL_ALLOC_TIME_MEAS),0)		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Total Annual Allocated Time Minutes	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in minutes, for a 53 week period. <input type="checkbox"/> This measure includes time for Activities of Daily Living and Medically Oriented Task (ADL/MOT) allocations, as well as any Pro Re Nata (PRN) allocations.	LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_ANNUAL_ALLOC_TIME_MEAS		LTC_DW.FS_PCA_FACT_SCREEN	1
Adult Personal Care Screen Measures	Total Annual Allocated Time Units	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in units, for a 53 week period.	nv!(sum(LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_ANNUAL_ALLOC_TIME_MEAS/15),0)		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Total Annual Allocated Time Units	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in units, for a 53 week period.	LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_ANNUAL_ALLOC_TIME_MEAS/15		LTC_DW.FS_PCA_FACT_SCREEN	1
Adult Personal Care Screen Measures	Total Weekly Allocated Time Minutes	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in minutes, for a one week period. <input type="checkbox"/> This measure includes time for Activities of Daily Living and Medically Oriented Task (ADL/MOT) allocations, as well as any Pro Re Nata (PRN) allocations.	nv!(sum(LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_WEEKLY_ALLOC_TIME_MEAS),0)		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Total Weekly Allocated Time Minutes	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in minutes, for a one week period. <input type="checkbox"/> This measure includes time for Activities of Daily Living and Medically Oriented Task (ADL/MOT) allocations, as well as any Pro Re Nata (PRN) allocations.	LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_WEEKLY_ALLOC_TIME_MEAS		LTC_DW.FS_PCA_FACT_SCREEN	1
Adult Personal Care Screen Measures	Total Weekly Allocated Time Units	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in units, for a one week period. <input type="checkbox"/>	nv!(sum(LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_WEEKLY_ALLOC_TIME_MEAS/15),0)		LTC_DW.FS_PCA_FACT_SCREEN	3
Personal Care Screen Information	Total Weekly Allocated Time Units	1	Total Time Measure is a number that identifies an applicant's total calculated personal care allocation, in units, for a one week period. <input type="checkbox"/>	LTC_DW.FS_PCA_FACT_SCREEN.TOTAL_WEEKLY_ALLOC_TIME_MEAS/15		LTC_DW.FS_PCA_FACT_SCREEN	1
Personal Care ADL Transferring	Transferring Help Code	2	Transfer Help Code - Specifies the level of assistance an applicant requires for transferring.	LTC_DW.FS_PCA_DIM_ADL_TRANSFER.TRANSFER_HELP_CD		LTC_DW.FS_PCA_DIM_ADL_TRANSFER	1
Personal Care ADL Transferring	Transferring Help Comment	2	Transferring Help Comment provides the details on the help that the applicant requires for transferring.	LTC_DW.FS_PCA_FACT_SCREEN.SUB.ADL_TRANSFER_COMMENT		LTC_DW.FS_PCA_FACT_SCREEN_SUB	1
Personal Care ADL Transferring	Transferring Help Daily Frequency Code	2	Transfer Help/Day Code - A number that specifies the number of times a day that the recipient needs physical assistance with transferring.	LTC_DW.FS_PCA_DIM_ADL_TRANSFER.TRANSFER_HELP_DY_CD		LTC_DW.FS_PCA_DIM_ADL_TRANSFER	1
Personal Care ADL Transferring	Transferring Help Daily Frequency Description	2	Transfer Help/Day Frequency - A number that specifies the number of times a day that the recipient needs physical assistance with transferring.	LTC_DW.FS_PCA_DIM_ADL_TRANSFER.TRANSFER_HELP_DAILY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TRANSFER	1
Personal Care ADL Transferring	Transferring Help Description	2	Transfer Help Description - Specifies the level of assistance an applicant requires for transferring.	LTC_DW.FS_PCA_DIM_ADL_TRANSFER.TRANSFER_HELP_DSC		LTC_DW.FS_PCA_DIM_ADL_TRANSFER	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care ADL Transferring	Transferring Help Weekly Frequency Code	2	Transfer Help Days/Week Code - Specifies the number of days per week that the agency will provide PCW assistance with transferring.	LTC_DW.FS_PCA_DIM_ADL_TRANSFER.TRANSFER_HELP_DY_WK_CD		LTC_DW.FS_PCA_DIM_ADL_TRANSFER	1
Personal Care ADL Transferring	Transferring Help Weekly Frequency Description	2	Transfer Help Days/Week Frequency - Specifies the number of days per week that the agency will provide PCW assistance with transferring.	LTC_DW.FS_PCA_DIM_ADL_TRANSFER.TRANSFER_HELP_WEEKLY_FREQ		LTC_DW.FS_PCA_DIM_ADL_TRANSFER	1
Tube Feedings	Tube Feed Continuous Daily Frequency Code	2	Tube Feed Continuous Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Tube Feed Continuous related Medically Oriented Task.	FS_PCA_DIM_MOT_TF_CONT_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_TF_CON T_DFREQ	1
Tube Feedings	Tube Feed Continuous Daily Frequency Description	2	Tube Feed Continuous Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Tube Feed Continuous related Medically Oriented Task.	FS_PCA_DIM_MOT_TF_CONT_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_TF_CON T_DFREQ	1
Tube Feedings	Tube Feed Continuous Flag	2	Tube Feed Continuous Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Daily Tube Feedings (Nasogastric Or Gastrostomy): Continuous Feeding. <input type="checkbox"/>  Transform Rules: Set the TUBE_FEED_CONTINUOUS_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '001' and DGNS_SUB_GRP_CD = 'TUBFED'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.TUBE_FEED_CO NTINUOUS_FLAG		LTC_DW.FS_PCA_DIM_MEDI CAL_TASK2	1
Tube Feedings	Tube Feed Continuous Weekly Frequency Code	2	Tube Feed Continuous Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Tube Feed Continuous related Medically Oriented Task.	PCA_DIM_MOT_TF_CONT_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_TF_CONT_W FREQ	1
Tube Feedings	Tube Feed Continuous Weekly Frequency Description	2	Tube Feed Continuous Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Tube Feed Continuous related Medically Oriented Task.	PCA_DIM_MOT_TF_CONT_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_TF_CONT_W FREQ	1
Tube Feedings	Tube Feed Intermittent Daily Frequency Code	2	Tube Feed Intermittent Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Tube Feed Intermittent related Medically Oriented Task.	FS_PCA_DIM_MOT_TF_INTER_DFREQ.MOT_DAILY_FREQ_CD		FS_PCA_DIM_MOT_TF_INTE R_DFREQ	1
Tube Feedings	Tube Feed Intermittent Daily Frequency Description	2	Tube Feed Intermittent Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Tube Feed Intermittent related Medically Oriented Task.	FS_PCA_DIM_MOT_TF_INTER_DFREQ.MOT_DAILY_FREQ		FS_PCA_DIM_MOT_TF_INTE R_DFREQ	1
Tube Feedings	Tube Feed Intermittent Feeding Flag	2	Tube Feed Intermittent Feeding Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Daily Tube Feedings (Nasogastric Or Gastrostomy): Intermittent (Bolos) Feeding.  Transform Rules: Set the TUBE_FEED_INTERMT_FEEDING_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '002' and DGNS_SUB_GRP_CD = 'TUBFED'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.TUBE_FEED_INT ERMT_FEEDING_FLAG		LTC_DW.FS_PCA_DIM_MEDI CAL_TASK2	1
Tube Feedings	Tube Feed Intermittent Weekly Frequency Code	2	Tube Feed Intermittent Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Tube Feed Intermittent related Medically Oriented Task.	PCA_DIM_MOT_TF_INTER_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_TF_INTER_W FREQ	1
Tube Feedings	Tube Feed Intermittent Weekly Frequency Description	2	Tube Feed Intermittent Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Tube Feed Intermittent related Medically Oriented Task.	PCA_DIM_MOT_TF_INTER_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_TF_INTER_W FREQ	1
Adult Personal Care Screen Measures	Unique Adult PC Screens Count	1	An unduplicated count of unique Adult PC Screens (without versions included) that meets the other criteria of the query.	NVL(Sum(LTC_DW.FS_PCA_FACT_SCREEN.MOST_RECE NT_SCREEN_VERSION_IND), '0')		LTC_DW.FS_PCA_FACT_SC REEN	3
Other Program	Vital Signs Daily Frequency Code	2	Vital Signs Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Vital Signs related Medically Oriented Task.	PCA_DIM_MOT_VITAL_SIGN_DFREQ.MOT_DAILY_FREQ_CD		PCA_DIM_MOT_VITAL_SIGN_ DFREQ	1
Other Program	Vital Signs Daily Frequency Description	2	Vital Signs Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Vital Signs related Medically Oriented Task.	PCA_DIM_MOT_VITAL_SIGN_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_VITAL_SIGN_ DFREQ	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Other Program	Vital Signs Flag	2	Vital Signs Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: vital signs (allowed when medical history supports the need for frequent ongoing monitoring and the physician has established parameters).  Transform Rules: Set the VITAL_SIGNS_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC1' and DGNS_CD = '002' and DGNS_SUB_GRP_CD = 'MOTPC1'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.VITAL_SIGNS_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Other Program	Vital Signs Weekly Frequency Code	2	Vital Signs Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Vital Signs related Medically Oriented Task.	PCA_DIM_MOT_VITAL_SIGN_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_VITAL_SIGN_WFREQ	1
Other Program	Vital Signs Weekly Frequency Description	2	Vital Signs Personal Care Worker Day/Week Code - Specifies the number of days per week that a Personal Care worker will perform assistance for the Vital Signs related Medically Oriented Task.	PCA_DIM_MOT_VITAL_SIGN_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_VITAL_SIGN_WFREQ	1
Personal Care Eligibility Calculated Date	Week Begin Date	3	The date representing the first day in the week, using Monday as the first day of the week.	DIM_DATE_PCAFCT_ELIG_CALC.WEEK_BEGIN_DATE		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Week Begin Date	3	The date representing the first day in the week, using Monday as the first day of the week.	DIM_DATE_PCAFCT_EVENT.WEEK_BEGIN_DATE		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Week Begin Date	3	The date representing the first day in the week, using Monday as the first day of the week.	DIM_DATE_PCAFCT_FIRST_ELIG.WEEK_BEGIN_DATE		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Week Begin Date	3	The date representing the first day in the week, using Monday as the first day of the week.	DIM_DATE_PCAFCT_SCRN_COMPLT.WEEK_BEGIN_DATE		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Week Number In Year	1	Number representing the week number the day is in within the year. This week number is using the ISO standard for week scheduling.	DIM_DATE_PCAFCT_ELIG_CALC.WEEK_NUM_IN_YEAR		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Week Number In Year	1	Number representing the week number the day is in within the year. This week number is using the ISO standard for week scheduling.	DIM_DATE_PCAFCT_EVENT.WEEK_NUM_IN_YEAR		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Week Number In Year	1	Number representing the week number the day is in within the year. This week number is using the ISO standard for week scheduling.	DIM_DATE_PCAFCT_FIRST_ELIG.WEEK_NUM_IN_YEAR		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Week Number In Year	1	Number representing the week number the day is in within the year. This week number is using the ISO standard for week scheduling.	DIM_DATE_PCAFCT_SCRN_COMPLT.WEEK_NUM_IN_YEAR		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Week Number Overall	1	Number of the week in the overall dimension. This number is cumulative. The difference in this week number between any two dates will yield the number of weeks difference, regardless of the year of the date.	DIM_DATE_PCAFCT_ELIG_CALC.WEEK_NUM_OVERALL		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Week Number Overall	1	Number of the week in the overall dimension. This number is cumulative. The difference in this week number between any two dates will yield the number of weeks difference, regardless of the year of the date.	DIM_DATE_PCAFCT_EVENT.WEEK_NUM_OVERALL		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Week Number Overall	1	Number of the week in the overall dimension. This number is cumulative. The difference in this week number between any two dates will yield the number of weeks difference, regardless of the year of the date.	DIM_DATE_PCAFCT_FIRST_ELIG.WEEK_NUM_OVERALL		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Week Number Overall	1	Number of the week in the overall dimension.	DIM_DATE_PCAFCT_SCRN_COMPLT.WEEK_NUM_OVERALL		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Eligibility Calculated Date	Weekday Flag	2	Flag indicating if a date fell on a weekend (N) or weekday (Y).	DIM_DATE_PCAFCT_ELIG_CALC.WEEKDAY_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Weekday Flag	2	Flag indicating if a date fell on a weekend (N) or weekday (Y).	DIM_DATE_PCAFCT_EVENT.WEEKDAY_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Weekday Flag	2	Flag indicating if a date fell on a weekend (N) or weekday (Y).	DIM_DATE_PCAFCT_FIRST_ELIG.WEEKDAY_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Weekday Flag	2	Flag indicating if a date fell on a weekend (N) or weekday (Y).	DIM_DATE_PCAFCT_SCRN_COMPLT.WEEKDAY_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1



Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Eligibility Calculated Date	Winter Allergy Season Flag	2	Describes if a date falls within the Winter Allergy Season (November 1 - February 28(9)). □	DIM_DATE_PCAFCT_ELIG_CALC.WINTER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Winter Allergy Season Flag	2	Describes if a date falls within the Winter Allergy Season (November 1 - February 28(9)). □	DIM_DATE_PCAFCT_EVENT.WINTER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_EVENT	1
Personal Care First Eligibility Calculated Date	Winter Allergy Season Flag	2	Describes if a date falls within the Winter Allergy Season (November 1 - February 28(9)). □	DIM_DATE_PCAFCT_FIRST_ELIG.WINTER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Winter Allergy Season Flag	2	Describes if a date falls within the Winter Allergy Season (November 1 - February 28(9)). □	DIM_DATE_PCAFCT_SCRN_COMPLT.WINTER_ALLERGY_SEASON_FLAG		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Applicant Information	Work Phone Number	2	Store the full phone number value in the field WORK_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.WORK_PHN_NUM).□ This is the Work Phone Number of the person who is being screened.	NVL((Case When length(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER) = 10 Then □ '('    substr(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER,1,3)    ')'    substr(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER,7,4) □ When length(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER) = 7 Then□ '('    substr(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER,1,3)    substr(DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER,4,4) □ Else DIM_PERSON_PCA_RECIPIENT.WORK_PHONE_NUMBER □ End), 'NR')□		DIM_PERSON_PCA_RECIPIENT	1
Personal Care Contact Information 1	Work Phone Number (Contact 1)	2	Store the full phone number value in the field WORK_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.WORK_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER) = 10 Then □ '('    substr(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER,1,3)    ')'    substr(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER,7,4) □ When length(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER) = 7 Then□ '('    substr(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER,1,3)    substr(DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER,4,4) □ Else DIM_PERSON_CONTACT_APC1.WORK_PHONE_NUMBER □		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	Work Phone Number (Contact 2)	2	Store the full phone number value in the field WORK_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.WORK_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER) = 10 Then □ '('    substr(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER,1,3)    ')'    substr(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER,4,3)    '-'    substr(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER,7,4) □ When length(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER) = 7 Then□ '('    substr(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER,1,3)    substr(DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER,4,4) □ Else DIM_PERSON_CONTACT_APC2.WORK_PHONE_NUMBER □		DIM_PERSON_CONTACT_APC2	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care Contact Information 3	Work Phone Number (Contact 3)	2	Store the full phone number value in the field WORK_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.WORK_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER) = 10 Then '('    substr(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER, 1,3)    ')'    substr(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER, 4,3)    '-'    substr(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER, 7,4) When length(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER) = 7 Then '('    substr(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER, 1,3)    substr(DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER, 4,4) Else DIM_PERSON_CONTACT_APC3.WORK_PHONE_NUMBER		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	Work Phone Number (Contact 4)	2	Store the full phone number value in the field WORK_PHN_NUM from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.WORK_PHN_NUM).	NVL((Case When length(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER) = 10 Then '('    substr(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER, 1,3)    ')'    substr(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER, 4,3)    '-'    substr(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER, 7,4) When length(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER) = 7 Then '('    substr(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER, 1,3)    substr(DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER, 4,4) Else DIM_PERSON_CONTACT_APC4.WORK_PHONE_NUMBER		DIM_PERSON_CONTACT_APC4	1
Other Program	Wound Care Daily Frequency Code	2	Wound Care Personal Care Worker/Day Code - Specifies the number of times per day that a Personal Care worker will perform assistance for the Wound Care related Medically Oriented Task.	PCA_DIM_MOT_WOUND_CARE_DFREQ.MOT_DAILY_FREQ_CD		PCA_DIM_MOT_WOUND_CARE_DFREQ	1
Other Program	Wound Care Daily Frequency Description	2	Wound Care Personal Care Worker/Day Frequency - Specifies the number of times per day that a Personal Care worker will perform assistance for the Wound Care related Medically Oriented Task.	PCA_DIM_MOT_WOUND_CARE_DFREQ.MOT_DAILY_FREQ		PCA_DIM_MOT_WOUND_CARE_DFREQ	1
Other Program	Wound Care Flag	2	Wound Care Flag is set to 'Y' if the following Medical Task needs to be performed by a Personal Care Worker: Other Program: Wound Or Decubiti Care (Excludes Basic Skin Care). Transform Rules: Set the WOUND_CARE_FLAG = 'Y' if a screen record is found in source table APC_DGNS_MED_ORNT_TASK where DGNS_GRP_CD = 'MOTPC2' and DGNS_CD = '001' and DGNS_SUB_GRP_CD = 'OTHPGM'. If no record is found, set the flag to 'N'.	LTC_DW.FS_PCA_DIM_MEDICAL_TASK2.WOUND_CARE_FLAG		LTC_DW.FS_PCA_DIM_MEDICAL_TASK2	1
Other Program	Wound Care Weekly Frequency Code	2	Wound Care Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Wound Care related Medically Oriented Task.	PCA_DIM_MOT_WOUND_CARE_WFREQ.MOT_WEEKLY_FREQ_CD		PCA_DIM_MOT_WOUND_CARE_WFREQ	1
Other Program	Wound Care Weekly Frequency Description	2	Wound Care Personal Care Worker Day/Week Frequency - Specifies the number of days per week that a Personal Care worker will perform assistance for the Wound Care related Medically Oriented Task.	PCA_DIM_MOT_WOUND_CARE_WFREQ.MOT_WEEKLY_FREQ		PCA_DIM_MOT_WOUND_CARE_WFREQ	1
Personal Care Eligibility Calculated Date	Year Month	2	The calendar year and month presented in this format: YYYYMM.	DIM_DATE_PCAFCT_ELIG_CALC.YEARMO		DIM_DATE_PCAFCT_ELIG_CALC	1
Personal Care Event Date	Year Month	2	The calendar year and month presented in this format: YYYYMM.	DIM_DATE_PCAFCT_EVENT.YEARMO		DIM_DATE_PCAFCT_EVENT	1

Class Name	Object Name	Type	Description	Select	Where	Table Name(s)	Qualification
Personal Care First Eligibility Calculated Date	Year Month	2	The calendar year and month presented in this format: YYYYMM.	DIM_DATE_PCAFCT_FIRST_ELIG.YEARMO		DIM_DATE_PCAFCT_FIRST_ELIG	1
Personal Care Screen Completion Date	Year Month	2	The calendar year and month presented in this format: YYYYMM.	DIM_DATE_PCAFCT_SCRN_COMPLT.YEARMO		DIM_DATE_PCAFCT_SCRN_COMPLT	1
Personal Care Contact Information 1	ZIP Code (Contact 1)	2	Traditional value of zip code, however it may contain the 4 digit carrier route extension number.  Store the value in the field ZIP_CD from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.ZIP_CD).	NVL((Case When length(DIM_PERSON_CONTACT_APC1.POSTAL_CODE) = 9 Then substr(DIM_PERSON_CONTACT_APC1.POSTAL_CODE,1,5)    '-'    substr(DIM_PERSON_CONTACT_APC1.POSTAL_CODE,6,9)    Else DIM_PERSON_CONTACT_APC1.POSTAL_CODE End), 'NR')		DIM_PERSON_CONTACT_APC1	1
Personal Care Contact Information 2	ZIP Code (Contact 2)	2	Traditional value of zip code, however it may contain the 4 digit carrier route extension number. Store the value in the field ZIP_CD from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.ZIP_CD).	NVL((Case When length(DIM_PERSON_CONTACT_APC2.POSTAL_CODE) = 9 Then substr(DIM_PERSON_CONTACT_APC2.POSTAL_CODE,1,5)    '-'    substr(DIM_PERSON_CONTACT_APC2.POSTAL_CODE,6,9)    Else DIM_PERSON_CONTACT_APC2.POSTAL_CODE End), 'NR')		DIM_PERSON_CONTACT_APC2	1
Personal Care Contact Information 3	ZIP Code (Contact 3)	2	Traditional value of zip code, however it may contain the 4 digit carrier route extension number.  Store the value in the field ZIP_CD from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.ZIP_CD).	NVL((Case When length(DIM_PERSON_CONTACT_APC3.POSTAL_CODE) = 9 Then substr(DIM_PERSON_CONTACT_APC3.POSTAL_CODE,1,5)    '-'    substr(DIM_PERSON_CONTACT_APC3.POSTAL_CODE,6,9)    Else DIM_PERSON_CONTACT_APC3.POSTAL_CODE End), 'NR')		DIM_PERSON_CONTACT_APC3	1
Personal Care Contact Information 4	ZIP Code (Contact 4)	2	Traditional value of zip code, however it may contain the 4 digit carrier route extension number.  Store the value in the field ZIP_CD from the FSIA table LTC_ADR_EVNT (LTC_ADR_EVNT.ZIP_CD).	NVL((Case When length(DIM_PERSON_CONTACT_APC4.POSTAL_CODE) = 9 Then substr(DIM_PERSON_CONTACT_APC4.POSTAL_CODE,1,5)    '-'    substr(DIM_PERSON_CONTACT_APC4.POSTAL_CODE,6,9)    Else DIM_PERSON_CONTACT_APC4.POSTAL_CODE End), 'NR')		DIM_PERSON_CONTACT_APC4	1

# **Condition Definitions**

Class Name	Condition Name	Description	Where	Table Name(s)	Show
Adult Personal Care Screen Filters	Greater Than 3 Versions In 90 Days	Pulls only Personal care adult screens with greater than 3 versions within a 90 day period for a given applicant.	LTC_DW.FS_PCA_FACT_FILTER.FILTER_GT_3_VERSIONS_90_DAYS = 'Y'	LTC_DW.FS_PCA_FACT_FILTER	TRUE
Adult Personal Care Screen Filters	Most Recent PCA Screen Version	Pulls only most recent screen version for all the personal care adult Screens.	LTC_DW.FS_PCA_FACT_SCREEN.MOST_RECENT_SCREEN_VERSION_IND = '1'	LTC_DW.FS_PCA_FACT_SCREEN	TRUE
Adult Personal Care Screen Filters	Most Recent PCA Screens	Pulls only most recent adult personal care screens.	LTC_DW.FS_PCA_FACT_SCREEN.MOST_RECENT_SCREEN_IND = '1'	LTC_DW.FS_PCA_FACT_SCREEN	TRUE